



- 1 OSD menu
- 2 0.1°/220°/0.1°/180°/s
- 3 1280x720/1080p
- 4 1280x720/1080p/720p/480p

- 5 360° 90° 0.4° 320°/
- 6 4 180
- 7 4 LIMITE
- 8
- 9
- 10 RS485
- 11 PELCO-D PELCO-P
- 12 IP66
- 13 TVS4000V

**SPECS**



0000	
00 00	0.1° 300°C/ s
00 00	0.1° 220°/
00	220°/
00	360° 0° 90°
00 00	
00	128
0000	90° 180°
00	355° 4
000	
00 00	BNC
Romote	RS485
00 0 RS485	2400/4800/9600/19200 BPS
ID	1 254
00	-10°C +60°C
00	0 95
00 0	IP66
00 00	AC 24V ±4V
00 00	10W
00	-10°C +60°C
0 00	2.9

0000	
CMOS	1/3" Sony322 + 4191 1920 * 1280
00	X20 F = 4.7 84.6.0
00	APPR 55.2° 3.2°
00 00	
000 00	0.5 BW 0.1LUX
S / N Y	52
00 00	
ICR	
DNR	/ / / /
00	/

IRIS	IRIS
FLIP	FLIP OFF

● FACTORY & OFFICE



● EXHIBITIONS



████████ AHD ██████████