

4 AHD CVI TVI CVBS IP 5 1 DVR 1080 p (6704H80P)

● Specifications



1. AHD\TVI\CVI: 4 1080p @ 15 fps
2 1080p;
2. 2 1080 p @ 25 fps + 2 1080 p @ 25 IP
2 1080 p @ 25 IP;
3. NVR: 4 1080p @ 25 IP
4 1080p @ 25 IP;
- 4 1ch 4

Model	6704H80P	
Video Compression	H.264	
OS	Linux	
Storage	SATA	
Resolution	1080p	
Frame Rate	25fps	
Channels	AHD\TVI\CVI: 4 1080p @ 15 fps NVR: 4 1080p @ 25 IP	
Channels per Channel	1080p 2 AHD\TVI\CVI 4 NVR 1080 p @ 25 IP	
Audio	1ch 4	
Ports	USB, USB, USB	
Network	RJ45, RJ45, RJ45	
Web Interface	Admin	
Mobile App	Android, iOS	
Inputs	Video	180 p @ 25 fps/CH NVR 1080 p @ 15 fps/CH AHD TVI CVI
	Audio	4x RCA
	Network	RJ45-T 10m/100m (RJ-45)
	USB	2 USB 2.0
	RS485	RS485 * 1
	Serial	#
	Serial	#
	Storage	1 SATA
	Storage	4TB SATA
Mobile App	Android, iOS, iPhone, iPad	

□□	12V /2(A)
DVR □□□	255 * 45 * 235 □□
□□	< 2.7 □□ □□□□□

● **PRODUCT PICTURE**





□□□□□□

[32 □ 1080p DVR 62B32H80P](#)

[16 □ 1080p □□□□□□□□ 6516H80P](#)

[□□□ 8 □ 1080p DVR 6708H80P](#)

□□□□□□□□ □

Adopt Newest HiSilicon
Chipset



New humanized
User Interface



System come with
28 kinds of languages



Adjustable DVR
menu transparency



Support backup video
records to DVR built-in
redundant HDD



Support playback different
time period video records in
one screen, save time on find
useful video records



5-in-1 hybrid modes:
AHD+TVI+CVI+CVBS+IP




DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



