

# PAH22 AHD

## FEATURES



- 1 Dome AHD
- 2 720P 1080P
- 3 3.6mm M12
- 4 24 20
- 5 UTC DVR
- 6 4 1 AHD TVI CVI

## Product Picture



# Size



Unit:mm



## SPECS


	PAH22C	PAH22T
Sensor	1/4" CMOS OV9732 + HD8901 1.0MP / 720P IR CUT	1/3" CMOS 0806 + 8902H 2.0MP IR CUT
UTC		
Format		PAL / NTCS
Protocol		TVI / CVI / AHD
Resolution		3.6MP / M12
IR LEDs		24PCS
IR Range		20m
Sensitivity		0.01Lux F1.2
Frame Rate		4 / 25S / 1 / 45,000s
Compression		H.264
BLC		Yes
OSD		Yes
AWB		Yes/No/Off
IR Cut		IR Cut / Auto / ICR / Color / B / W
Viewing Angle		50m / 75-300m
Power		DC 12V ± 10%
Temp. Range		-30°C + 60°C / 95% RH
Weight		1g
Power Consumption		4W

## FAQS

- Q1: Can I connect to DVR?
- Q2: Can I connect to PC?
- Q3: Can I connect to OEM?
- Q4: Can I connect to...

### VOTAGE DROP

\* Power supply's wire will make voltage drop, so make sure not too long wire, and long wire with a thicker gauge. (Thicker gauge makes voltage drop more slowly).



### Voltage Drop(%)

#### ▼ Package

M'TEAM



Shipping

M'TEAM



www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com [www.mvteamcctv.com](http://www.mvteamcctv.com) CCTV