

● FEATURES



1. 1080P
2. 1080P
3. 1080P AHD DVR
4. 1080P
5. CMS 3G

● SPECS



| | MVT-D23410 | MVT-D2341Z |
|------------|---|---|
| Resolution | 976 * 496 | 976 * 582 N 976 * 494 |
| Resolution | 600TVL | 700TVL |
| Resolution | 1.0VP-P 0.00075 | 1.0VP-P 0.00075 |
| SYNC | | |
| Resolution | PC1099 | 3089 |
| Resolution | | |
| Resolution | 0.01LUX | 0.01LUX |
| Resolution | | |
| Resolution | 0.45 | 0.45 |
| Resolution | PAL 1 / 50S-1 / 100000s NTSC 1/60-1 / 100000s | PAL 1 / 50S-1 / 100000s NTSC 1/60-1 / 100000s |
| S / N | 48dB AGC | 48dB |
| DNR | - | - |
| AWB | | |
| AGC | | |
| BLC | - | - |
| OSD | - | - |
| D-WDR | - | - |
| Resolution | - | - |
| HLC | - | - |
| D-IR | - | - |
| IR-IR | - | - |
| Resolution | - | - |
| Resolution | - | - |
| Resolution | - | - |
| Resolution | - | - |
| Resolution | 50 | 50 |
| Resolution | | |

| | | |
|-------|---------------------------------|--------------------------------------|
| □□ □□ | DC12V±1V | DC12V±1V |
| □□ □□ | □□ -10°C□+ 60°C□□□□□ □ □ 85□RH□ | □□ -10°C□+ 60°C□□□□□ □ □ 85□RH□ □ |

● PRODUCT PICTURE



New Appearance CCTV Cameras



MVT-R46
8mm(CS) Lens,
42 pcs IR leds



MVT-R30
8mm Lens,
42pcs×Ø5 IR leds



MVT-R21
2.8-12mm
vari-focal Lens,
42pcs×Ø5 IR leds



MVT-R62
2.8-12mm
vari-focal Lens,
42pcs×Ø5 IR leds



MVT-R58
9-22mm
vari-focal Lens,
72pcs×Ø5 IR leds



MVT-D30
6mm lens,
24pcs×Ø5 IR leds



MVT-D22
6mm lens,
36pcs×Ø5 IR leds



MVT-D28
6mm lens,
36pcs×Ø5 IR leds



MVT-D29
2.8-12mm
vari-focal Lens,
36pcs×Ø5 IR leds



MVT-D26
2.8-12mm(M12)
vari-focal Lens

● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM



████████ AHD ██████████