

2015 Newest Products

HyBrid AHD Camera

- ◆ 4-in-1 Hybrid
- ◆ TVI/CVI/AHD/CVBS
- ◆ Low Price, 720P HD

4-in-1 Hybrid Waterproof 720P AHD Camera
www.mvteamcctv.com

NEW

AHD
+
CVI
+
TVI
+
CVBS

M'TEAM

CE FC

4-in-1 Hybrid Waterproof 720P AHD Camera
www.mvteamcctv.com

NEW

AHD
+
CVI
+
TVI
+
CVBS

M'TEAM

CE FC

4-in-1 Hybrid Varifocal 720P AHD Camera
www.mvteamcctv.com

NEW

AHD
+
CVI
+
TVI
+
CVBS

M'TEAM

CE FC

1080P AHD Camera

- ◆ Real Time Display
- ◆ High Cost Effective
- ◆ Plug and Play

Varifocal 720P/1024P/1080P AHD Camera
Lens 9.0-22mm, IR 60m
www.mvteamcctv.com

M'TEAM

CE FC

720P/1024P/1080P
Lens 6.0mm, IR 36m
www.mvteamcctv.com

M'TEAM

CE FC

720P/1024P/1080P HD AHD Dome Camera
Lens 6.0mm, Led Array
www.mvteamcctv.com

M'TEAM

CE FC

HD Hybrid DVR

- ◆ AHD/IP/CVBS 3-in-1
- ◆ 1080H/1080P Optional
- ◆ P2P Smart View

4CH 1080P Economical WiFi Hybrid Security DVR
NVR+AHD DVR 5000
www.mvteamcctv.com

M'TEAM

CE FC

1080P AHD DVR 8CH WiFi Hybrid DVR
Full 1080P
www.mvteamcctv.com

M'TEAM

CE FC

1080P AHD DVR 4CH WiFi Hybrid DVR
Full 1080P
www.mvteamcctv.com

M'TEAM

CE FC

1MP Außen Hybrid AHD-Kamera mit TVI CVI AHD CVBS Analog-Modi MVT-TAH70N

To buy AHD or CVI or TVI or CVBS Cameras?

This is not a question any more!

AHD
+
CVI
+
TVI
+
CVBS

=



4-in-1 Camera! 2015 latest Technology!

4-in-1 Hybrid Waterproof 720P AHD Camera

www.mvteamcctv.com

NEW



=

AHD

+

CVI

+

TVI

+

CVBS



M' TEAM

● FEATURES

M' TEAM

Vier Modi, frei zu ändern

HD-Auflösung 1280 X 720

Unterstützende IR-Schnitt, Tag-Nacht-Überwachung

Ausstattung mit HDI8901 ISP Processor


Niedriger Preis und multiplizieren Funktion

Modell	MVT-TAH70		
Hauptchipsatz	HDI8901 ISP		
Sensor	1/4" CMOS AR0141 1.0MP / 720P geringe Beleuchtung		
SIGNAL	PAL / NTCS		
Objektiv & Ir-Abstand	Feste 6.0mm / IR 30m, 1PCS IR LED-Array		
Video-Ausgang	1-Kanal-HD-TV, HD-CVI, HD- AHD . CVBS (Switch von OSD-Menü)		
Wirkungsvolle Pixel	TVI: 1280 (H) * 720 (V)	CVI:1280 (H) * 720 (V)	AHD : 1280 (H) * 1024 (V) CVBS:1000TVL
Minute Erleuchtung	0.01Lux F1.2		
Shutter	4 / 25s ~ 1 / 45,000s		
Synchronisation	Interne		
BLC	fakultativ		
OSD	Unterstützt		
AWB	Automatisch / manuell / Tag / Nacht		
Tag Nacht	Auto (ICR) / Farbe / S / W-		
Getriebe-Abstand	Über 500 m über 75-3 Koaxialkabel		
Energieversorgung	DC 12V ± 10%		
Arbeitsumfeld	30 ° C ~ + 60 ° C / Weniger als 95% RH (keine Kondensation)		
Energieverbrauch	4W ± 10%		

HD / TVI / CVI / CVBS, wie man wechseln?

1. By dem OSD-Menü ist UP **AHD** ist unten CVI, links ist TVI, rechts ist CVBS
2. Halten Sie die Richtungstaste fünf Sekunden lang zu wechseln

Warnung: Stellen Sie sicher ausgeschaltet, wenn der Schalter zum zweiten Mal



Hold Five Seconds When Switch

● **FACTORY & OFFICE**



● EXHIBITIONS



MVTEAM Advantages

1. Advanced P2P Client Software

Mobile Phone View

(All MVTEAM DVR,AHD DVR, CVI DVR, SDI DVR, NVR support



Achieve Monitoring All kinds of Cameras in One Screen Computer



Benefit

- Do not have to learn different Softwares
- Can Reduce after-sale service,save time save labor cost
- Support Smart Phone,Tablet,PC
- Android and IOS, Win7/8,Vista/XP, available

2.Flexiable ODM/OEM Service

Logo on Camera



logo on DVR



Logo turn up on Screen



3.Trade Assurance

Trade Assurance to protect your Trade business.

- *Trade us with safety, Assurance
- *Trade us with more confidence
- *Trade us with more satisfaction



Für weitere Informationen **AHD** Produkte Willkommen zu besuchen [FAQ](#)