

4CH 1080P AHD und NVR Hybrid High-Definition-Recorder DVR (6704H80P)

● Features

MTEAM

Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency



Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



Hybrid DVR support three kinds of modes:
full analog channels
analog+digital channels
full digital channels



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency




Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



Hybrid DVR support three kinds of modes:
full analog channels
analog+digital channels
full digital channels



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



- 1.AHD: 4CH 1080P @ 15fps Aufnahme
2-Kanal-1080p-Wiedergabe;
- 2.HVR:2-Kanal-1080P @ 25fps Analog + 2-Kanal-1080P @ 25fps IP Aufnahme
2-Kanal-1080P @ 25fps-Wiedergabe
- 3.NVR:4CH 1080P @ 25fps IP Aufnahme
4CH 1080P @ 25fps-Wiedergabe
- 4-Audio: 4-Kanal-Eingang, 1ch Ausgang

Modell	6704H80P	
Kompression	Standard H.264 Kompression	
Betrieb	Embedded Linux	
Bildkodierung-Steuerung	Die Bildbearbeitungs einstellbar, beide veränderbare und fixieren Strom optional	
Dual-Stream	Kann in jedem Kanal eingerichtet werden	
Monitor-Bildqualität	4*180P(NVR), 4* 1080P(AHD),	
Bild dynamische Erkennung	Mehrere Erfassungsbereiche in jedem Kanal	
Video Framerate	180P 25FPS / CH NVR .1080P 15FPS / CH AHD	
Bildwiedergabequalität	NVR 4 * 180P 25FPS, AHD 2CH 1080P	
Video Modus	Unterstützung manuell, automatisch, dynamische Überwachung, Alarmauslösung Videomodus	
Backup-Modus	U-Disk, USB-Wechseldatenträger, USB brennen, Netzwerkspeicher und Backup	
Betriebsmodus	Maus. Fernbedienung.Frontbedien	
Lokales Login	admin und Passwort	
Speichern Aufnahme	lokale Festplatte und Netzwerk	
Externe Schnittstelle	Video-Eingang	180P @ 25FPS / CH NVR , 1080P @ 15FPS / CH AHD
	Audioeingang	4× RCA
	Netzwerkschnittstelle	10M / 100M Base-T Ethernet (RJ-45)
	USB-Anschluss-Port	2 x USB 2.0
	RS485	RS485 * 1
	Alarমেingang	NEIN
	Alarmausgang	NEIN
	Interne Festplatte	1 SATA HDD-Anschluss
	Maximale Kapazität	Maximal 4TB jede SATA
Handy-Überwachung	Unterstützung Windows Mobile, iPhone, iPad, Android	
Power	12V /2EIN	
DVR Größe	255 * 45 * 235mm	

Gewicht

& Lt; 2,7 kg (ohne HDD)

● PRODUCT PICTURE

M' TEAM



● EXHIBITIONS

M' TEAM



▼ Packages

M' TEAM





Kontaktiere uns:

Wenn Sie Fragen haben, begrüßen zu [kontaktiere uns](#).

Ihre Aufmerksamkeit auf unser Unternehmen sehr geschätzt.

Willkommen auf unserer offiziellen Website zu besuchen www.myteamcctv.com sehen [Video-Demos](#), [Download Produktkatalog](#) und lese [CCTV technische Artikel](#).