

1. Hohe Definition 720p / 1.0MP
- 2.Connected durch Koaxialkabel, einfach zu installieren, das gleiche mit analogen Kamera
- 3.Long Übertragungs-Distanzen bis zu 500m
- 4.More stabil Kein Signalverlust
- 5.One Kabel für Video, RS485 und Audio

Modell	MVT- CV74A	
Compression	Standard H.264 Kompressions	
Betrieb	Embedded Linux	
Bildcodierung-Steuer	Bild bearbeiten einstellbar, sowohl veränderbar und fixieren streamen optional	
Dual-Stream	Kann in jeden Kanal eingestellt werden	
Monitor-Bildqualität	720P (1280 * 720)	
Bild dynamischen Erkennungs	Mehrere Erfassungsbereiche in jedem Kanal	
Video Framerate	720P @ 25FPS / CH (PAL) / 720P @ 30FPS / CH (NTSC)	
Bildwiedergabequalität	720P	
Video-Modus	Unterstützung manuelle, automatische, dynamische Überwachung, Alarmauslöser Videomodus	
Backup-Modus	U-Disk, tragbaren USB-Festplatte, USB-brennen, Netzwerkspeicher und Backup-	
Betriebsmodus	Maus, Fernbedienung Controler, Frontbedien	
lokal anmelden	admin und Kennwort	
Aufnahme speichern	lokale Festplatte und Netzwerk-	
Externe Schnittstelle	Video-Eingang	PAL: 720p @ 25/30 FPS Unterstützung 50/60 FPS
	Audioeingang	4CH
	Video-Ausgang	1 * BNC, 1 * VGA, 1 * HDMI
	Audioausgang	1CH AV-Port
	Netzwerkschnittstelle	10M / 100M / 1000M Base-T Ethernet (RJ-45)
	USB-Port anschließen	2 * USB 2.0
	RS485	RS485 * 1
	Alarমেingang	4CH
Festplatte	Alarmausgang	1CH
	Interne Festplatte	2 SATA HDD-Anschluss
	Maximale Kapazität	Maximal 3 TB SATA jeweils
Handy-Überwachung	Support Windows Mobile, iPhone, iPad, Android, Blackberry, Symbian und 3G	
Macht	12V / 3A	
Betriebstemperatur	-10 °C ~ + 55 °C	

Betriebsfeuchtigkeit	10% -90%
DVR Größe	380 (L) * 300 (W) * 55 (H) mm
Last	& lt; 2,9 kg (ohne Festplatte)

● PRODUCT PICTURE

M' TEAM



# HD-CVI

High Definition Composite Video Interface

## ① Introducing HD-CVI

Use Your Existing  
Coax Cable



True HD Quality



Extremely  
Cost Effective

## ② This will change everything!

Go From This



This is traditional  
cctv system vedio effect

To This!



This is HD-CVI  
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

## ③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

## P2P-Funktion AV orteile:

- \* **Benötigen Sie nicht tun, stabile IP-Adresse Setup**
- \* **Benötigen Sie nicht tun, DDNS Setup**
- \* **Benötigen Sie nicht tun, Router-Setup**
- \* **Reduzieren Sie Ihre After-Sales-Kosten**

# HD-CVI CCTV Camera and DVR

- \* Low cost high definition surveillance system
- \* Support long-distance HD transmission
- \* Same installation way as traditional CCTV system

## 720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



### MVT-CV11A

Gray and White color optional,  
with 6mm Lens,36pcs×Φ5 IR leds,  
30m IR Distance,  
3-Axis bracket with cable built-in



### MVT-CV21A

Gray and White color optional,  
with 2.8-12mm vari-focal Lens,  
42pcs×Φ5 IR leds,  
35m IR Distance,  
bracket with cable built-in



### MVT-CV73A

with 8mm Lens,  
2 pcs 3rd generation LED Array,  
50m IR Distance,with bracket



### MVT-CV74A

with 16mm Lens,  
4 pcs 3rd generation LED Array,  
100m IR Distance,with bracket

## 720P Display&Record HD-CVI DVR



### MVT-CV6304

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 1pc hard disk  
4-Support P2P network view



### MVT-CV6404H

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6504

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6508

1-8CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH

## ● FACTORY & OFFICE

M'TEAM



## ● EXHIBITIONS

M'TEAM

