

4CH 1080P AHD et NVR hybride haute définition dvr enregistreur (6704H80P)

● Features

MTEAM

Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency



Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



Hybrid DVR support three kinds of modes:
full analog channels
analog+digital channels
full digital channels



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function,control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID,easy to realize P2P remote view by scan the QR Codes



Support remote view,record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency




Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



Hybrid DVR support three kinds of modes:
full analog channels
analog+digital channels
full digital channels



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



- 1.AHD: 4CH 1080P enregistrement @ 15fps de lecture 2CH 1080P;
- 2.HVR:2CH 1080P @ 25fps Analog + 2CH 1080P @ 25fps enregistrement IP
2CH 1080P @ 25fps lecture
- 3.NVR:4CH 1080P @ 25fps enregistrement IP
4CH 1080P @ 25fps lecture
- 4-Audio: entrée 4ch, sortie 1ch

Modèle	6704H80P	
Compression	H.264 Compression standard	
Opération	Linux embarqué	
Image codage-commande	Image edit réglable, à la fois changable et fixer flux optionnel	
double flux	Peut être mis en place dans chaque canal	
Surveiller la qualité d'image	4*180P(NVR), 4* 1080P(AHD),	
détection dynamique de l'image	zones de détection multiples dans chaque canal	
framerate de la vidéo	180P 25FPS / CH NVR ,1080P 15FPS / CH AHD	
qualité de lecture d'image	NVR 4 * 180P 25FPS, AHD 2CH 1080P	
Mode vidéo	manuel d'assistance, de surveillance automatique, dynamique, mode vidéo de déclenchement	
Mode de sauvegarde	U disque, disque portable USB, USB brûlure, stockage de réseau et de sauvegarde	
Mode Operate	Souris, Télécommande,Panneau de commande avant	
Identifiez-vous localement	admin et mot de passe	
Sauvegarder l'enregistrement	disque dur et réseau local	
Interface externe	Entrée vidéo	180P @ 25FPS / CH NVR , 1080P @ 15fps / CH AHD
	Entrée audio	4x RCA
	Interface réseau	10M / 100M base-T Ethernet (RJ-45)
	Port USB de connexion	2 x USB 2.0
	RS485	RS485 * 1
	Entrée d'alarme	NON
	Sortie d'alarme	NON
	Disque dur interne	1 le port SATA HDD
	Capacité maximale	Maximum 4TB chaque SATA
surveillance de téléphone portable	Soutien Windows Mobile, iPhone, iPad, Android	
Puissance	12V /2UNE	
taille DVR	255 * 45 * 235mm	

Poids

& Lt; 2,7 kg (sans disque dur)

● PRODUCT PICTURE

MVTEAM



● EXHIBITIONS

MVTEAM



▼ Packages

MVTEAM





Contactez nous:

Si vous avez des questions, bienvenue à [Contactez nous](#).

Votre attention à notre société est très appréciée.

Bienvenue à visiter notre site web officiel www.mvteamcctv.com regarder [démos vidéo](#), [catalogue](#) [téléchargement du produit](#) et lis [CCTV articles techniques](#).