

Modèle	MVT-CV58A
Capteur	1/3 "CMOS Pixelplus 1,0 / 720P
SIGNAL	PAL / NTCS
Sortie vidéo	HD-CVI
Pixels effectifs	1280 (H) * 720 (V)
Min. Eclairage	0.05Lux @(F1.2, AGC ON), 0 Lux avec IR
Obturateur	1 / 3s~1 / 100,000s, soutenu lente obturateur
Fréquence de la vidéo	1280 × 720 @ 50 fps;1280 × 720 @ 60 fps
Synchronisation	Interne
Sortie vidéo	BNC HDCVI sortie vidéo haute définition 1-canal
Réduction de bruit	3DNR
OSD	Soutien commande coaxiale
Exposition	Mode d'exposition / niveau d'exposition / vitesse de l'exposition / anti scintillement / mode de rétroéclairage
AWB	Automatique / manuel / jour / nuit
Jour Nuit	Auto (ICR) / Couleur / B / W
Fonction Set	3DNR / numérique amplificateur / type de lentille
Fonctionnalités avancées	ID caméra / Miroir Détection / dynamique / masquage / langue / 485 SET / système information
Réglage de l'image	Netteté / luminosité / contraste / saturation / netteté inhibition / une suppression de chrominance / Gamma / commutateur
Distance de transmission	Plus de 500m via 75-3 câble coaxial
Source de courant	DC 12V ± 10%
Environnement de travail	30 ° C ~ 60 ° C + / Moins à 95% HR (sans condensation)
Consommation d'énergie	8W MAX



HD-CVI

High Definition Composite Video Interface

① Introducing HD-CVI

Use Your Existing
Coax Cable



True HD Quality



Extremely
Cost Effective

② This will change everything!

Go From This



This is traditional
cctv system vedio effect

To This!



This is HD-CVI
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

P2P Fonction Avantages:

- * **Ne pas besoin de faire la configuration des adresses IP stable**
- * **Ne pas besoin de faire la configuration DDNS**
- * **Ne pas besoin de faire la configuration du routeur**
- * **Réduire vos coûts après-vente**

HD-CVI CCTV Camera and DVR

- * Low cost high definition surveillance system
- * Support long-distance HD transmission
- * Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in



MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in



MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket



MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR



MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view



MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM

