Vandal Proof Metal Housing 2.5 Inch Mini PTZ Camera 4X Zoom Waterproof IP66 1080P Smart Home WiFi Security Camera




FEATURES

MITEAM

- * 2.5 inch Smart WiFi PTZ Camera, metal housing, 4X optical zoom
- * Support sound and light warning
- * Al humanoid tracking / Al humanoid detection early warning / local intelligent white light early warning / Custom camera-side alarm audio
- * With 4pcs IR led lights and 2pcs white led lights, support dual light intelligent control, IR distance 30m
- * P/T rotation: pan 355°, tilt 90°
- * Max suport 128G TF card storage, with CMS, support live viewing and saving video records to windows PC
- * Onvif, compatible with NVR
- * IP66 Waterproof design

Mobile Phone View





SPECS



	Model No.	H100-H8Z
Camera	Sensor type	CMOS
	Minimum illumination	0.02Lux @(F2.0,AGC ON), 0 Lux with IR
	shutter	Shutter adaptation
	Camera lens	4X optical zoom
	Lens interface type	M12
	Day and night conversion mode	ICR infrared filter
	Digital noise reduction	3D digital noise reduction
Compression standard	Video compression standard	H.264
	Coding type	H.264 Main Profile
	Video compression rate	HD, SD, rate adaptation.
	Audio compression standard	AAC
	Audio compression rate	Rate adaptation
Image	Maximum image size	1920 × 1080
	frame rate	Max:25fps network transmission rate: adaptive adjustment
	Image setting	Brightness, contrast, saturation, etc. (through the client to adjust the setting)
Network function	Storage function	Support Micro SD card (max 128G)
	Intelligent alarm	Video is lost, the network is disconnected, and the power is disconnected.
	General functions	Al humanoid tracking / Al humanoid detection early warning / local intelligent white light early warning / Custom camera-side alarm audio Reverse, capture, mobile alarm, password protection, video playback, remote control, two-way intercom
Wireless parameter	Wireless standard	IEEE802.11b, 802.11g, 802.11n Draft
	frequency range	2.4 GHz ~ 2.4835 GHz
	Channel bandwidth	Support 20/40MHz
	security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK, WPS
	transmission speed	11b: 11Mbps,11g :54Mbps,11n :135Mbps
General specification	temperature and humidity	-10 C ~50 C, the humidity is less than 95% (no condensation)
	Power	DC 12V
	Network connection	2.4Ghz WiFi or RJ45 wired
	IR distance	30m
	Speed dome size	2.5 inch
	Waterproof grade	IP66

Pictures


|Show appearance|



















A variety of applications















CE, ROHS, FCC Certificates



Contact us:

If you have any question, welcome to <u>Contact us</u>.
Your close attention to our company is highly appreciated.
Welcome to visit our official website <u>www.mvteamcctv.com</u>