

● FEATURES



- 1 1080P HD 1024P
- 2 16mm lens
- 3 ONVIF PoE
- 4 P2P
- 5 50M
- 6 1
- 7 CE FCC RoHS

● SPECS



	MVT-M7424
Camera	Hi3518C + SONY IMX238, 1 / 3 " CMOS
Resolution	2640x1488 MPEG4 / MJPEG
Frame rate	PAL 1024P @ 25fps
Shutter speed	1/50 ~ 1/60 ~ 1 / 10
Bit rate	32Kbps ~ 16Mbps
Storage	3M ~ 16GB
Image sensor	CMOS
IR-CUT	IR-CUT
Audio	ADPCM
Light sensitivity	0.05Lux @ 0.01Lux B / W
Video compression	H.264 / H.265 / CMS / IE
Network	10 / 100 / 1000M PoE
Protocols	ONVIF / P2P
Protocols	P2P / RTP / RTSP / TCP / IP / HTTP / DHCP / DNS / DDNS / PPPoE / SMTP / NTP
Protocols	HTTP / HTTPS
Ports	1 CH RJ45, 10M / 100M
LED	4 LED
Power	100W

IP□□□□

● PRODUCT PICTURE

M'TEAM



● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

