

1080P 30X IR HIGH SPEED DOME MVT-NO904

● FEATURES




**IP PTZ Camera Automatic
cruise settings via CMS**
MVTEAM Author: MVTEAM
Duration: 00:02:42
Date: 2016-01-08

SPEC	
OS	Linux RTOS
Processor	32bit DSP TI DM368
Memory	32M 128M DDR2
Video	H.264 0.1M-6Mbps
Frame rate	2.0 @ 25fps 10025fps
Resolution	1920x1080, 1280x720
Dimensions	640x360 480x270 352x288 320x240 352x192 288x192 256x192
IO	IO IP
Network	RTSP / FTP / PPPOE / DHCP / DDNS / NTP / UPnP
Configuration	WEB configure OSD
Software	UC2 SDK VM6000
SPEC	
Sensor	1/3 CMOS
Resolution	1920x1080
FOV	58.16°-2.9°
Zoom	4.3x 129.0x
Frame rate	30
Minimum light	0.02LUX
WDR	WDR
IRCF	* /
Resolution	1.0 0.01
Audio	DSP-8
IRCF	* / R / B UP DOWN
IRCF	* /

OSD	
Network	10BASE-T / 100BASE-TX RJ45
Resolution	1920 * 1080
FPS	25/30 FPS
Codec	H.264 / MJPEG
Protocol	ONVIF
ONVIF	ONVIF 2.4
Protocol	TCP / IP.HTTP.DHCP.PPPoE.UDP.RTP / RTCP.DNS.DDNS .UPnP.SMTP
Viewing Angle	0.2°~200°/S
Viewing Angle	0.2°~100°/S
Viewing Angle	200°/ S
Viewing Angle	360°; 0°~90°
Viewing Angle	PTZ
Viewing Angle	128
Viewing Angle	180°~90°
Viewing Angle	355° 4scan
Viewing Angle	4
Viewing Angle	PTZ
Viewing Angle	no
Viewing Angle	
OSD	
Viewing Angle	
Viewing Angle	-20°C + 60°C
Viewing Angle	0~95
Viewing Angle	IP66
Viewing Angle	AC24V / 40W IR
Viewing Angle	6.5

▼ Sales Office and Sample room **M' TEAM**



▼ Our factory and production workflow **M' TEAM**



▼ Trade Shows **M' TEAM**



www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com