

● FEATURES

M' TEAM

- 1- 0.2°/300°
- 2- 0.2°/180°
- 3- DC 12V
- 4- 360° 0°/90°
- 5- 128
- 6- 90° 180°
- 7- 355° 4
- 8- 4 180S
- 9- 4 &038;
- 10- RS485
- 11- 2400/4800/19200/9600 BPS
- 12- ID 1-254
- 13- 6W
- 14- -10°C/50°C/ -40°C/60°C &038;
- 15- 1.8
- 16- 1/3 " 238 CMOS + NVP2431H
- 17- 1280x720
- 18- X10 F = 5.1 51
- 19- APPR 55.2° 3.2°
- 20- 0.5 BW 0.1lux
- 21- S / N Y 52

● SPECS

M' TEAM

PTZ	
Horizontal	0.2°/300°
Vertical	0.2°/180°
Power	DC 12V
Viewing Angle	360° 0°/90°
Resolution	128
Zoom	90° 180°
Field of View	355° 4
Storage	4 180S
Protocol	4 &038;
Remote	RS485
RS485	2400/4800/19200/9600 BPS
ID	1-254
Power	6W
Temp	-10°C/50°C/ -40°C/60°C &038;
Weight	1.8
Camera	
Resolution	1/3 " 238 CMOS + NVP2431H 1280x720
Zoom	X10 F = 5.1 51
Field of View	APPR 55.2° 3.2°
Light	0.5 BW 0.1lux
S / N	Y 52

□□□□ □□□□	□□□□
ICR	□□□□□/□□□□
DNR	□□□□ / □□□□ / □□□□ / □□□□ / □□□□
HLC	□□□□ / □□□□
□□□□□□□□□□	□□□□ / □□□□
□□□□ □□□□	□□□□
□□□□	□□□□
FLIP	□□□□ □□□□ OFF□□□□ □□□□

● PRODUCT PICTURE



● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM

