

● FEATURES



●

1. ●
2. ●
3. ● AHD DVR ● DVR ●
4. ●
- 3G ● 5. Advanced CMS ●

●

●

● SPECS



●	MVT-D4341O	MVT-D4341Z	MVT-D4351E
●	P 576 V × 720 H	728 * 488	P 976 * 582
●	N 720 H × 487 V		N 976 * 494
●	600TVL	700TVL	700TVL
●	1.0Vp-p ● 75Ω	1.0Vp-p ● 75Ω	1.0Vp-p ● 75Ω
SYNC		●	
●	PC7030	PC3089	P ICX811AK N ICX810AK
●	0.01Lux	0.01Lux	0.05Lux
●	0.45	0.45	0.45
●	PAL 1/50 1 / 100000s NTSC 1/60 -1 / 100000s	PAL 1/50 1 / 100000s NTSC 1/60 -1 / 100000s	PAL 1/50 1 / 100000s NTSC 1/60 -1 / 100000s
S / N	48 ● AGC ●	48 ● AGC ●	48 ● AGC ●
DNR	-	-	2D-DNR
AWB	AUTO	AUTO	ATW / PUSH / USER1 / ● 2 / ANTI CR / MANUAL / PUSH LOCK
AGC	AUTO	AUTO	AUTO
BLC	-	-	ON / OFF

OSD	-	-	YES
D-WDR	-	-	LOW / MID / HIGH
SWDR	-	-	-
HLC	-	-	ON / OFF
D-□□□	-	-	-
IR-□□□□	-	-	ON / OFF
□□/□□□	-	-	□□□□□□□□
□□□□□□	-	-	B / W□EXT1□Ext2□□□□□
□□	-	-	□□□□□□4□□□□□
□□	-	-	8□□
□	50□□□□□□□□	50□□□□□□□□	80□□□□□□□
□□	DC12V±1V	DC12V±1V	DC12V±1V
□□	□□-10°C□+ 60°C□□□□	□□-10°C□+ 60°C□□□□	□□-10°C□+ 60°C□□□□
□□	□□85□RH	□□85□RH	□□85□RH

● PRODUCT PICTURE



● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM

