

FEATURES



1. 1080P Full HD
2. 3MP CMOS Sensor
3. Support AHD DVR and CVBS DVR
4. 3.5" LCD Display
5. 3G Network Support

SPECS



Item	MVT-R21410	MVT-R2141Z
Resolution	976 * 496	P 976 * 582 N 976 * 494
TVL	600TVL	700TVL
Input Sensitivity	1.0Vp-p @ 75Ω	1.0Vp-p @ 75Ω
SYNC	Internal	Internal
IC	PC7030	P 3089
Min. Illumination	0.01Lux	0.01Lux
Dynamic Range	0.45	0.45
Frame Rate	PAL 1/50 / 100000s NTSC 1/60 / 100000s	PAL 1/50 / 100000s NTSC 1/60 / 100000s
AGC	48dB AGC	48dB
DNR	-	-
AWB	AUTO	AUTO
AGC	AUTO	AUTO
BLC	-	-
OSD	-	-
D-WDR	-	-
SWDR	-	-
HLC	-	-
D-Noise	-	-
IR-Cut Filter	-	-
Day/Night	-	-
Storage	-	-
Power	-	-
Weight	50g	50g

□ □	DC12V±1V	DC12V±1V
□ □ □	□□ -10°C□+ 60°C□□□ □□□□□ □ □ 85□RH	□□ -10°C□+ 60°C□□□ □□□□□ □ □ 85□RH

● PRODUCT PICTURE



New Appearance CCTV Cameras



MVT-R46
8mm(CS) Lens,
42 pcs IR leds



MVT-R30
8mm Lens,
42pcs×Φ5 IR leds



MVT-R21
2.8-12mm
vari-focal Lens,
42pcs×Φ5 IR leds



MVT-R62
2.8-12mm
vari-focal Lens,
42pcs×Φ5 IR leds



MVT-R58
9-22mm
vari-focal Lens,
72pcs×Φ5 IR leds



MVT-D30
6mm lens,
24pcs×Φ5 IR leds



MVT-D22
6mm lens,
36pcs×Φ5 IR leds



MVT-D28
6mm lens,
36pcs×Φ5 IR leds



MVT-D29
2.8-12mm
vari-focal Lens,
36pcs×Φ5 IR leds



MVT-D26
2.8-12mm(M12)
vari-focal Lens

