

60m IR 5MP CCTV MVT-AH58S

FEATURES



- * 5.0MP 1 / 2.5 "0521 CMOS
- * Fuhun FH8538M
- * HD 5.0mp
- * 4-in-1 AHD / TVI / CVI / CVBS
- * AE / AWB / AES / AGC
- IR 500m * 75-3
- * OSD
- * UTC / DVR / OSD

500m IR 75-3

SPECS



Model	MVT-AH58S
Resolution	1 / 2.5" CMOS 0521 + 8538M 5.0MP
Standard	PAL / NTCS
Input	AHD / CVI / TVI / 960H
Lens	9-22mm
IR	72xΦ5IR LED 60m IR
Min Illumination	0.05Lux / F1.2 B / W 0.01Lux / F1.2
Shutter	1/25 30S ~ 1 / 50,000S
Frame Rate	5MP @ 25fps
S / N	62dB
Compression	BLC
OSD	Yes
AWB	Yes/No/Off
IR	IR / ICR / B / W
IR Range	75-300m 500m
Power	DC 12V ± 10%
Temp	-30°C + 60°C / 95% RH
Protection	IP66
Mount	2
Power	4W MAX



- Q1: 請問此攝影機是否支援夜視功能？
- ANS: 支援，內置紅外線LED燈，可支援夜視功能。
- Q2: 請問此攝影機是否支援POE供電？
- ANS: 支援，內置POE供電接口，MOQ 1pc。
- Q3: 請問此攝影機是否支援ONVIF協議？
- ANS: 支援，內置ONVIF協議接口。
- Q4: 請問此攝影機是否支援AHD 12V DC供電？
- ANS: 支援，內置AHD 12V DC供電接口。




AMPERAGE

* Power supply's amperage cannot be less than CCTV camera's amperage.



VOTAGE DROP

* Power supply's wire will make voltage drop, so make sure not too long wire, and long wire with a thicker gauge. (Thicker gauge makes voltage drop more slowly).



Voltage Drop(%)



Power Supply



Camera



Power Supply



Camera



Copyright All rights reserved

▼ Packages

M'TEAM

Brand Camera Package

Neutral Camera Package

Brand DVR Package



Netural

▼ Shipping

M'TEAM



www.mvteamcctv.com

www.mvteamcctv.com CCTV