

● FEATURES



1080P 1/3 CMOS 1.3 10 53.2°-5.65° WIDE-TELE

1 4

2 / ICR AWB AGC BLC

3 0° 360°
0° 90°
200°/

4 128
4
8

5 & 038;

6

[IP PTZ](#)

● SPECS



360° 90°	
0.1° 220° / 0.1° 180°/	
128;	
& 038;	
& PTZ	
TVS	
SPEC	
	1 / 2.3 "AR0130 1.3M CMOS
	68° / 6.7°
	5.1 51
	10
	0.02LUX
	/ / /
IRCF	* /
	1.0 0.01
	HIS3516C

IP	IPv4*/IPv6R IPv6/ BIPv6IPv4UP/DOWN
IRCF	IPv4*/IPv6IPv4
OS	
DSP	HIS3518A + AR0130
Network	10BASE-T / 100BASE-TX RJ45
Frame rate	25/30 FPS
Codec	H.264 / MJPEG
Resolution	1080P
ONVIF	ONVIF 2.4
Protocol	TCP / IP.HTTP.DHCP.PPPoE.UDP.RTP / RTCP.DNS.DDNS .UPnP.SMTP
View angle	0.2°~200°/H 0.2°~100°/V
Zoom	200°/S
Rotation	0°~360°; 0°~90°/min
Resolution	1280x720/1080P
View angle	90°~180°
Temperature	35°~100°
Power	1W
OSD	Yes
Resolution	1080P
Temp	-20°C~+ 60°C
View angle	0°~95°
Resolution	IP66
Power	DC12V / 24W IR
View angle	2.5°



● EXHIBITIONS

