• FEATURES M'TEAM

## 

- •1.0M / 1.3M / 2.0M
- \_\_\_\_HD\_\_\_CVBS\_\_\_\_\_
- •600000M1200000
- □ □ □ □ IP66

- \_\_\_\_OSD\_\_\_\_

## SPECS

M'TEAM

	MVT-AH20A	MVT-AH20N	MVT-AH20E	MVT-AH20T	MVT-AH20B	MVT-AH20P
	1/4 "CMOS pixelplus 1.0M / 720P OV9712	1/4 "CMOS pixelplus 1.0M / 720P AR0141	1/3 "CMOS pixelplus 1.3M / 1024P AR0131	1/3 "CMOS pixelplus 1.3M / 1024P AR0130	1/3 "CMOS pixelplus 1.3M / 1024P SONY225	1/3 "CMOS pixelplus 2.0M / 1080P SON322
SIGNAL	PAL / NTCS					
00000	HD-AHD / CVBS					
00 0000	1280□H□* 720□V□	1280\[H\[]* 720\[V\[]	1280[]H[]* 1024[]V[]	1280[]H[]* 1024[]V[]	1280[]H[]* 1024[]V[]	1920□H□×1080□V□
000 00000000	0.01Lux F1.2					
00000	4 / 25S[]1 / 45,000s					
	000					
00000	100000BNC HDAHD / CVBS00000000					
BLC	00000					
OSD	00000					
AWB	00/00/0					
00/000						
000 000000	75-3000000000000000000000000000000000000					
	DC 12V±10[					
00000 00	30°CD+ 60°C/ 95000RH00000000					
0 00	4W MAX					





## • FACTORY & OFFICE M'TEAM













• EXHIBITIONS M' TEAM

