

FEATURES



1. 1080P 30FPS
2. 1080P 30FPS
3. 30FPS AHD DVR 1080P 30FPS DVR 1080P 30FPS
4. 1080P 30FPS
- 3G 1080P 30FPS 5. 1080P CMS 1080P 30FPS

SPECS



項目	MVT-D26410	MVT-D2641Z
解析度 (H x V)	976 * 496	P 976 * 582 N 976 * 494
線数	600TVL	700TVL
感度 (V)	1.0Vp-p 0.01Lux 75Ω	1.0Vp-p 0.01Lux 75Ω
SYNC	標準	標準
フォーマット	PC1099	P 3089
感度	0.01Lux	0.01Lux
感度	0.01Lux	0.01Lux
感度	0.45	0.45
フレームレート	PAL 1/50 / 100000s NTSC 1/60 -1 / 100000s	PAL 1/50 / 100000s NTSC 1/60 -1 / 100000s
フレームレート	48FPS AGC 標準	48FPS
DNR	-	-
AWB	AUTO	AUTO
AGC	AUTO	AUTO
BLC	-	-
OSD	-	-
D-WDR	-	-
SWDR	-	-
HLC	-	-
D-IR	-	-
IR-IR	-	-
IR/IR	-	-
IR/IR	-	-
IR	-	-
IR	-	-
IR	50FPS	50FPS
IR	50FPS	50FPS

□ □	DC12V±1V	DC12V±1V
□ □ □	□□ -10°C□+ 60°C□□□ □□□□□ □ □ 85□RH	□□ -10°C□+ 60°C□□□ □□□□□ □ □ 85□RH

● PRODUCT PICTURE



New Appearance CCTV Cameras



MVT-R46
8mm(CS) Lens,
42 pcs IR leds



MVT-R30
8mm Lens,
42pcs×Φ5 IR leds



MVT-R21
2.8-12mm
vari-focal Lens,
42pcs×Φ5 IR leds



MVT-R62
2.8-12mm
vari-focal Lens,
42pcs×Φ5 IR leds



MVT-R58
9-22mm
vari-focal Lens,
72pcs×Φ5 IR leds



MVT-D30
6mm lens,
24pcs×Φ5 IR leds



MVT-D22
6mm lens,
36pcs×Φ5 IR leds



MVT-D28
6mm lens,
36pcs×Φ5 IR leds



MVT-D29
2.8-12mm
vari-focal Lens,
36pcs×Φ5 IR leds



MVT-D26
2.8-12mm(M12)
vari-focal Lens

