

HD AHD IR PAH22

FEATURES



- 1 AHD
- 2 720P 1080P
- 3 3.6mm M12
- 4 24pcs IR led 20m IR
- 5 UTC DVR
- 6 4-in-1 AHD TVI CVI

Product Picture



Size



Unit:mm



Size Compare

● SPECS


	PAH22C	PAH22T
Sensor	1/4 " CMOS OV9732 + HD8901 1.0MP / 720P IR	1/3 CMOS 0806 + 8902H 2.0MP IR
UTC		
Format		PAL / NTCS
Resolution		TVI / CVI / AHD
Lens		3.6mm M12
IR Leds		24 LED
IR Range		20m IR
Sensitivity		0.01Lux F1.2
Frame Rate		4/25 1 / 45,000
IR Cut Filter		
BLC		
OSD		
AWB		Auto/Off/On
IR Cut Filter		IR Cut / IR Pass / B / W
IR Range		75-300m
Power		DC 12V±10%
Temp. Range		-30°C / + 60°C / 95%RH
Weight		1 g
Power Consumption		4W MAX

● FAQs

- Q1: How to connect the camera to the DVR?
- Q2: What is the minimum order quantity (MOQ)?
- Q3: Can you provide OEM services?
- Q4: What is the lead time for the camera?

VOTAGE DROP

* Power supply's wire will make voltage drop, so make sure not too long wire, and long wire with a thicker gauge. (Thicker gauge makes voltage drop more slowly).



Voltage Drop(%)

▼ Package

M'TEAM



Shipping

M'TEAM



www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com

www.mvteamcctv.com www.mvteamcctv.com CCTV