

H.265 1080P 2MP POE IP MVT-M1880S

# H.265 Starlight IP Camera

Super Low-Light Effect (Under 0.001Lux)



STARLIGHT
 MOTION
 1080P HD
 P2P
 POE
 H.265



B/W Mode



Color Mode



Clear Color Mode

## FEATURES



- \* Adopts Hisilicon DSP Hi3516CV300 CMOS IMX291 1080P / 2MP
- \* 0.001Lux
- \* H.265
- \* 3MP 2.8-12mm 35m IR

Starlight IP VS

<p>XVR Common Camera</p>	<p>2017-12-14 00:31:22 Thu</p>
<p>Starlight IP Camera</p>	<p>2017-12-14 00:31:22</p>

starlight ip 1080p

MVTEAM Starlight IP Camera Clear Color Image at Dayti...



2017-12-13 11:09



MVTEAM Starlight IP Camera Video Record(No Light)



2017-12-13 00:13



Adopt infrared antireflection panel design, make the camera with better night vision.

Infrared Antireflection Panel



Quality reflective overlay, surface-emitting technology, can magnify the effect of focus, improve product performance and reliability.



HD 3MP 2.8-12mm vari-focal lens(M12 Mount),bring more clear image.



### Adjustable Bracket



### Size





IP66 Waterproof Grade, give you more reliable protection

IP66



● SPECS



型號	<b>MVT-M1880S</b>
鏡頭	1 / 2.8mm SONY CMOS IMX291
DSP	Hi3516CV300
編碼	H.265 / H.264 / JPEG / AVI / MJPEG
解析度	1080P 1920 * 1080
幀率	1/50~1/60~1 / 100,000
傳輸速率	32Kbps~16Mbps
鏡頭	HD 2.8mm 12mm M12
鏡頭安裝	M12
紅外線	IR
音頻	ADPCM
WDR	DWDR
靈敏度	0.001Lux
白平衡	自動 / 手動 / CMS / IE
網絡協議	支持TCP/IP 協議
協議	支持
協議	P2P / RTP / RTSP / TCP / IP / HTTP / DHCP / DNS / DDNS / PPPoE / SMTP / NTP
協議	支持
協議	1ch RJ45, 10M / 100M
LED	42 IR LED
IR	35m
ONVIF	ONVIF 2.4

