

2015 Newest Products

HyBrid AHD Camera

- ◆ 4-in-1 Hybrid
- ◆ TVI/CVI/AHD/CVBS
- ◆ Low Price, 720P HD

4-in-1 Hybrid Waterproof 720P AHD Camera
www.mvteamcctv.com

NEW

AHD
+
CVI
+
TVI
+
CVBS



M'TEAM

CE FC

4-in-1 Hybrid Waterproof 720P AHD Camera
www.mvteamcctv.com

NEW

AHD
+
CVI
+
TVI
+
CVBS



M'TEAM

CE FC

4-in-1 Hybrid Varifocal 720P AHD Camera
www.mvteamcctv.com

NEW

AHD
+
CVI
+
TVI
+
CVBS



M'TEAM

CE FC

1080P AHD Camera

- ◆ Real Time Display
- ◆ High Cost Effective
- ◆ Plug and Play

Varifocal 720P/1024P/1080P HD AHD Camera
Lens 9.0-22mm, IR 60m
www.mvteamcctv.com



M'TEAM

CE FC

720P/1024P/1080P
Lens 6.0mm, IR 36m
www.mvteamcctv.com



M'TEAM

CE FC

720P/1024P/1080P HD AHD Dome Camera
Lens 6.0mm, Led Array
www.mvteamcctv.com



M'TEAM

CE FC

HD Hybrid DVR

- ◆ AHD/IP/CVBS 3-in-1
- ◆ 1080H/1080P Optional
- ◆ P2P Smart View

4CH 1080P Economical WiFi Hybrid Security DVR
NVR+AHD DVR 5000
www.mvteamcctv.com



M'TEAM

CE FC

1080P AHD DVR 8CH WiFi Hybrid DVR
Full 1080P
www.mvteamcctv.com



M'TEAM

CE FC

1080P AHD DVR 4CH WiFi Hybrid DVR
Full 1080P
www.mvteamcctv.com



M'TEAM

CE FC

AHD Aparat bezpieczeństwa 720P 1MP | Kamera wewnętrzna | CMOS 6mm
Obiektyw

To buy AHD or CVI or TVI or CVBS Cameras?

This is not a question any more!

AHD
+
CVI
+
TVI
+
CVBS

=



4-in-1 Camera! 2015 latest Technology!

4-in-1 Hybrid Led Array 720P AHD Camera

www.mvteamcctv.com

NEW



AHD
+
CVI
=
+
TVI
+
CVBS



M' TEAM

● FEATURES

M' TEAM

Cztery tryby, wolne, aby zmienić

Rozdzielczość HD 1280 X 720

Wspieranie IR, nadzór Dzień Noc

Sprzęt z HDI8901 ISP Procesor

Niska cena i funkcja mutipty

● SPECS

M' TEAM

Model	MVT-TAH43N			
Główny chipset	HDI8901 ISP			
Czujnik	1/4" CMOS AR0141 1.0MP / 720P Słabe oświetlenie			
SIGNAL	PAL / NTCS			
Obiektyw & IR Odległość	35m stałe 6.0mm / IR, 3 diody LED Array			
Wyjście wideo	1 Kanał HD-TV, HD-CVI, HD-AHD, CVBS (Przełącznik Poprzez menu OSD)			
Efektywna liczba pikseli	TVI: +1.280 (H) * 720 (V)	CVI: +1.280 (H) * 720 (V)	AHD: +1.280 (H), * jeden tysięcydwudziestucztery (V)	CVBS:1000TVL
Min. Oświetlenie	0.01Lux F1.2			
Okiennica	4 / 25s ~ 1 / 45,000s			
Synchronizacja	Wewnętrzny			
BLC	fakultatywny			
OSD	Obsługiwane			
AWB	Automatyczny / ręczny / dzień / noc			
Dzień noc	Auto (ICR) / Kolor / B / W			
Odległość transmisji	75-3 ponad 500m poprzez kabel koncentryczny			
Zasilacz	DC 12V ± 10%			
Środowisko pracy	30 ° C ~ + 60 ° C / poniżej 95% wilgotności względnej (bez kondensacji)			
Pobór mocy	4W ± 10%			






HD / TVI / CVI / CVBS, jak przełączać?

1. By menu OSD, UP **AHD**, Dół jest CVI, Lewo jest TVI, Prawo jest CVBS
2. Przytrzymaj przycisk kierunku na pięć sekund Switch

Uwaga: Należy się upewnić moc, gdy Przełącznik po raz drugi



Hold Five Seconds When Switch

● FACTORY & OFFICE





MVTEAM Advantages

1. Advanced P2P Client Software

Mobile Phone View

(All MVTEAM DVR,AHD DVR, CVI DVR, SDI DVR, NVR support



Achieve Monitoring All kinds of Cameras in One Screen Computer



Benefit

- Do not have to learn different Softwares
- Can Reduce after-sale service,save time save labor cost
- Support Smart Phone,Tablet,PC
- Android and IOS, Win7/8,Vista/XP, available

2.Flexiable ODM/OEM Service

Logo on Camera



logo on DVR



Logo turn up on Screen



3.Trade Assurance

Trade Assurance to protect your Trade business.

- *Trade us with safety, Assurance
- *Trade us with more confidence
- *Trade us with more satisfaction



Więcej informacji na temat **AHD** Produkty Zapraszamy do odwiedzenia [FAQ](#)