

10m IR 720P Wifi Home Camera Wireless Surveillance Camera for Baby /Elder/ Pet/Nanny (H100-D6)

● FEATURES

M'TEAM

- *Adopt 1/4" CMOS image sensor,1MP
- *Maximum resolution up to 1280*720 (720P)
- *Support two-way intercom, voice prompt.
- *ICR infrared filter automatic switching, realize the real day and night monitoring
- *Support the standard clear, high-definition resolution to watch, to adapt for variety of network environment
- *Support mobile phones and computers real-time monitoring
- *Support PTZ control Pan 355°& Tilt 120, remote capture, audio and video recording
- *Global network coverage, anytime, anywhere smooth Watch
- *With RJ45 port, support network cable(Cat5/6) connecting
- *Mobile phone APP **V12**

12 Core Functions

Wifi Smart Cloud IP Camera

- HD 1MP**: 720P HD
- two-way intercom**
- voice prompt**
- Cloud**: P2P Cloud
- ICR**: ICR filter
- 10m IR**
- Motion detection**
- Wifi**
- Remote View**
- 64G**: SD Card
- Plug and Play**
- Autoalarm**

A variety of installation

- Wall mount**: Shows the camera mounted on a wall.
- Ceiling mount**: Shows the camera mounted on the ceiling.
- Flatwise**: Shows the camera mounted flat on a surface.

P/T Rotation



Finger sliding screen to remote control camera rotation



A variety of applications



Baby Care



Elderly Care



Pets Care



Shop monitor

Motion Detection Alarm



Support SD Card

The camera doesn't come with sd card, if you need buy from us, please ask the sales.



max support
64G SD Card



Mobile Phone View



V12

Download the App



Scan QR code to download the APP V12
or Search V12 in APP Store/Android Market



| Show appearance |



Live view in Daytime



Live view at night



● SPECS



Model No.	H100-D6
-----------	---------

Camera	Sensor type	1/4" Progressive Scan CMOS
	Minimum illumination	0.02Lux @(F2.0,AGC ON) ,0 Lux with IR
	shutter	Shutter adaptation
	Camera lens	3.0mm
	Lens interface type	M12
	Day and night conversion mode	ICR infrared filter
	Digital noise reduction	3D digital noise reduction
Compression standard	Video compression standard	H.264
	Coding type	H.264 Main Profile
	Video compression rate	HD, SD, rate adaptation.
	Audio compression standard	AAC
	Audio compression rate	Rate adaptation
Image	Maximum image size	1280 x 720
	frame rate	Max:25fps network transmission rate: adaptive adjustment
	Image setting	Brightness, contrast, saturation, etc. (through the client to adjust the setting)
Network function	Storage function	Support Micro SD card (max 64G)
	Intelligent alarm	Video is lost, the network is disconnected, and the power is disconnected.
	General functions	Reverse, capture, mobile alarm, password protection, video playback, remote control, two-way intercom
Wireless parameter	Wireless standard	IEEE802.11b, 802.11g, 802.11n Draft
	frequency range	2.4 GHz ~ 2.4835 GHz
	Channel bandwidth	Support 20/40MHz
	security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK, WPS
	transmission speed	11b: 11Mbps,11g :54Mbps,11n :135Mbps
General specification	temperature and humidity	-10 C ~50 C, the humidity is less than 95% (no condensation)
	Power	DC 5V
	Power consumption	3W MAX
	Infrared radiation distance	MAX 5meter
	Size(mm)	135mm x 130mm
	weight	400g(Containing packaging)

● FAQs



- [How to remote view the wifi camera on mobile phone?](#)
- [How to remote view MVTEAM Wifi IP Camera on Computer?](#)
- [How to Set Motion Detection for Wifi IP Camera?](#)
- [MVTEAM Wifi Smart IP Camera Live Demo](#)
- [Where will you need WiFi Smart IP Camera?](#)

▼ Packages

M' TEAM



▼ Shipping

M' TEAM



Shipping: Based on the your demands to choose the best shipping way.

Contact us:

If you have any question, welcome to [Contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com

Related Articles about Wifi IP Camera:

[How to Set Motion Detection for Wifi IP Camera?](#)

[How Long Video Records Does a TF Card Can Save for Wifi Cameras?](#)

[How to remote view MVTEAM Wifi IP Camera on Computer?](#)