

16 channel 1080N AHD TVI CVI CVBS IP 5-in-1 Hybrid HD CCTV DVR(6516H80H)

● Features

MTEAM

Adopt Newest HiSilicon
Chipset



New humanized
User Interface



System come with
28 kinds of languages



Adjustable DVR
menu transparency



Support backup video
records to DVR built-in
redundant HDD



Support playback different
time period video records in
one screen, save time on find
useful video records



5-in-1 hybrid modes:
AHD+TVI+CVI+CVBS+IP



DVR menu with Ping
command, convenient to do
DVR network testing



With UTC Function, control
analog camera and PTZ camera
on DVR thru coaxial cable



Support P2P remote view
by CMS and IE browser



Come with cloud ID, easy to
realize P2P remote view
by scan the QR Codes



Support remote view, record,
playback, receive motion
detection alarm by Iphone
and Andriod Smartphone



- 1.AHD\TVI\CVI:16CH 1080N@15fps recording,
4CH 1080N playback
- 2.HVR:8CH 1080N@15fps Analog + 8CH 1080P@25fps IP recording,
2CH 1080P@25fps playback
- 3.NVR:16CH 960P@25fps IP recording,
4CH 960P@25fps playback
- 4-Audio: 8ch input, 1ch output
- 5-Alarm:4ch input,1ch output

Model		6516H80H
Compression		H.264 Standard compression
Operation		Embedded Linux
Image coding-control		Image edit adjustable,both changable and fix stream optional
Dual stream		Can be set up in each channel
Monitor image quality		1080N 960*1080
Image dynamic detection		Multiple detection areas in each channel
Video framerate		AHD\TVI\CVI:1080N@15fps recording,NVR:960P@25fps IP recording,
Image playback quality		AHD\TVI\CVI:4CH 1080N playback; NVR:4CH 960P@25fps playback;
Video mode		Support manual, automatic, dynamic monitoring, alarm trigger video mode
Backup mode		U disk, USB portable disk, USB burn, Network storage and backup
Operate mode		Mouse, remote controller, front panel
login locally		without password
Save recording		local hard disk and network
External interface	Video input	1080N 15FPS AHD TVI CVI;960P 25FPS NVR
	Audio input	8*RCA
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2*USB 2.0
	RS485	RS485*1
	Alarm input	4CH
	Alarm output	1CH
	Internal HDD	2 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA□
Cell phone monitoring		Support Window Mobile, iPhone,iPad, Android
Power		12V/3A
DVR size		380mm×295mm×55mm

Weight	<3.5kg(without HDD)
--------	---------------------

● PRODUCT PICTURE

M' TEAM





M-TEAM

● FAQs

M-TEAM

1-Does the dvr come with hard disk?

The DVRs don't come with hard disk, but we also

2- How to increase recording time?

- a. Install more hard disks
- b. set the dvr to motion detection record
- c. reduce the recording resolution and frame rate

3- Does the DVR support P2P?

Yes, the dvr come with cloud id, support P2P remote view on mobile phone and computer.

4- What's the mobile phone view app of the dvr?

The mobile phone app is "**Topview**"

5- What's the resolution of your dvr's?

720P, 1080N (1080H), 1080P optional

▼ Packages M'TEAM




▼ Shipping M'TEAM



▼ Sales Office and Sample room

M' TEAM



▼ Our factory and production workflow

M' TEAM



▼ Trade Shows

M' TEAM



Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).