

16 channel 1080N AHD TVI CVI CVBS IP 5-in-1 Hybrid HD CCTV DVR(6516H80H)

● Features

MTEAM

Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency



Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



5-in-1 hybrid modes: AHD+TVI+CVI+CVBS+IP



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



- 1.AHD\TVI\CVI:16CH 1080N@15fps recording,
4CH 1080N playback
- 2.HVR:8CH 1080N@15fps Analog + 8CH 1080P@25fps IP recording,
2CH 1080P@25fps playback
- 3.NVR:16CH 960P@25fps IP recording,
4CH 960P@25fps playback
- 4-Audio: 8ch input, 1ch output
- 5-Alarm:4ch input,1ch output

Model	6516H80H	
Compression	H.264 Standard compression	
Operation	Embedded Linux	
Image coding-control	Image edit adjustable,both changable and fix stream optional	
Dual stream	Can be set up in each channel	
Monitor image quality	1080N 960*1080	
Image dynamic detection	Multiple detection areas in each channel	
Video framerate	AHD\TVI\CVI:1080N@15fps recording,NVR:960P@25fps IP recording,	
Image playback quality	AHD\TVI\CVI:4CH 1080N playback; NVR:4CH 960P@25fps playback;	
Video mode	Support manual, automatic, dynamic monitoring, alarm trigger video mode	
Backup mode	U disk, USB portable disk, USB burn, Network storage and backup	
Operate mode	Mouse, remote controller, front panel	
login locally	without password	
Save recording	local hard disk and network	
External interface	Video input	1080N 15FPS AHD TVI CVI;960P 25FPS NVR
	Audio input	8*RCA
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2*USB 2.0
	RS485	RS485*1
	Alarm input	4CH
	Alarm output	1CH
	Internal HDD	2 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA□
Cell phone monitoring	Support Window Mobile, iPhone,iPad, Android	
Power	12V/3A	
DVR size	380mm×295mm×55mm	

Weight	<3.5kg(without HDD)
--------	---------------------

● PRODUCT PICTURE





M TEAM

M TEAM

● FAQs

1-Does the dvr come with hard disk?

The DVRs don't come with hard disk, but we also

2- How to increase recording time?

- a. Install more hard disks
- b. set the dvr to motion detection record
- c. reduce the recording resolution and frame rate

3- Does the DVR support P2P?

Yes, the dvr come with cloud id, support P2P remote view on mobile phone and computer.

4- what's the mobile phone view app of the dvr?

The mobile phone app is "**Topsviiew**"

5- What's the resolution of your dvr's?

720P, 1080N (1080H), 1080P optional

▼ Packages**M' TEAM**

DVR Package



www.mvteamcctv.com

DVR Kit Package



www.mvteamcctv.com

Wireless NVR Kit Package



www.mvteamcctv.com

MVTEAM Camera Brand Package



www.mvteamcctv.com

Camera Neutral Package



www.mvteamcctv.com

▼ Shipping**M' TEAM**














▼ Sales Office and Sample room **M' TEAM**



▼ Our factory and production workflow **M' TEAM**



▼ Trade Shows **M' TEAM**



Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).