

4CH 1080P AHD and NVR Hybrid High Definition dvr recorder(6704H80P)

● Features

MTEAM

Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency



Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



Hybrid DVR support three kinds of modes:
full analog channels
analog+digital channels
full digital channels



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



Adopt Newest HiSilicon Chipset



New humanized User Interface



System come with 28 kinds of languages



Adjustable DVR menu transparency




Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



Hybrid DVR support three kinds of modes:
full analog channels
analog+digital channels
full digital channels



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



Support P2P remote view by CMS and IE browser



Come with cloud ID, easy to realize P2P remote view by scan the QR Codes



Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone



- 1.AHD:4CH 1080P@15fps recording
2CH 1080P playback□
- 2.HVR:2CH 1080P@25fps Analog + 2CH 1080P@25fps IP recording
2CH 1080P@25fps playback
- 3.NVR:4CH 1080P@25fps IP recording
4CH 1080P@25fps playback
- 4-Audio: 4ch input, 1ch output

Model	6704H80P	
Compression	H.264 Standard compression	
Operation	Embedded Linux	
Image coding-control	Image edit adjustable,both changable and fix stream optional	
Dual stream	Can be set up in each channel	
Monitor image quality	4*180P(NVR),4*1080P(AHD),	
Image dynamic detection	Multiple detection areas in each channel	
Video framerate	180P 25FPS/CH NVR ,1080P 15FPS/CH AHD	
Image playback quality	NVR 4*180P 25FPS,AHD 2CH 1080P	
Video mode	Support manual, automatic, dynamic monitoring, alarm trigger video mode	
Backup mode	U disk, USB portable disk, USB burn, Network storage and backup	
Operate mode	Mouse, Remote controller,Front Panel Control	
login locally	admin and password	
Save recording	local hard disk and network	
External interface	Video input	180P@25FPS/CH NVR ,1080P@15FPS/CH AHD
	Audio input	4×RCA
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2 x USB 2.0
	RS485	RS485*1
	Alarm input	NO
	Alarm output	NO
	Internal HDD	1 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA
Cell phone monitoring	Support Window Mobile, iPhone,iPad, Android	
Power	12V/2A	
DVR size	255*45*235mm	

Weight

<2.7kg(without HDD)

● **PRODUCT PICTURE**



● **EXHIBITIONS**



▼ **Packages**



DVR Package

H.264 DVR

www.mvteamcctv.com

DVR Kit Package

DIY Kit

www.mvteamcctv.com

Wireless NVR Kit Package

4ch

www.mvteamcctv.com

MVTEAM Camera Brand Package

www.mvteamcctv.com

Camera Neutral Package

SECURITY

www.mvteamcctv.com



Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view [video demos](#), [download product catalog](#) and read [CCTV technical articles](#).