

7 Inch 1080P 2MP 4 in 1 AHD TVI CVI Analog Hybrid Pan Tilt Zoom Camera Outdoor

● FEATURES



- *Solution:NVP2441H+IMX323,1080P
- *5.35-93.6mm 18X zoom lens,ICR
- *7" Outdoor PTZ Camera
- *IR distance up to 150m
- *Day/Night(ICR),IR LEDs constant current control
- *LEDs opening mode: auto/clocking/manual
- *0.1°-200 °pan speed & 0.1°- 180°/s tilt speed,90°tilt auto flip
- *128 presets,4 auto scans,4 tours,4 patterns
- *Clock function
- *With OSD menu,AHD UTC/RS485 remote controlling
- *Pelco-P/D (Auto recognition)
- * lightning-proof, surge-proof, IP66
- *Working Temperature: -20°C □ +60°C
- *DC24V/2A power supply

● SPECS



PTZ Specs	
Manual speed	Pan□0.1°□200°/s□ Tilt□0.1°□180°/s□
Preset speed	220°/s
Rotation	Pan continuously 360°, tilt 0□90° with auto-flip
Speed Proportion	As the length of focus, to auto-adjust the speed
Preset	128 preset, title can be edited
Auto-flip	Tilt down 90°, with auto-flip 180°
Scan	355°programmable, 4 scan
Display zone	8 programmable zones with editable title
Decoder	Built-in
Video output	Female BNC ,AHD,TVI,CVI,CVBS
Remote controlling	RS485 or UTC(AHD)
Baud rate (RS485)	2400□4800□9600/19200 bps
ID range	1□254
Temperature	Outdoor -10°C□+60°C
Humidity	0□95%□non-condensation□
Protection grade	IP66, lightning-proof, surge-proof, wave-proof, all-day defend cover,
Power supply	DC24V/2A
Power consumption	Outdoor 50W
Temperature	-10°C□+60°C
Gross weight	6.9kg

Cam Spec(18X,1080P)	
Sensor	NVP2441H+IMX323 1080P/2MP 1920*1080
OPTICS	Optical x18, f = 5.35 mm ~ 93.6 mm
Angle	Appr. 55.2°(Wide) to 3.2°(Tele)
Min. Illumination	Color : 0.5 lux , BW : 0.1lux
S/N (Y signal)	52dB
White Balance	Auto
ICR	Manual/Auto
DNR	Auto / Off / Low / Middle / High
HLC	Off / On
Defog	Off / On
Max Gain	Auto
IRIS	Auto
FLIP	Vertical , Horizontal ,Vertical-Horizontal,OFF Selectable

● PRODUCT PICTURE



● FACTORY & OFFICE

M'TEAM



▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package



Package: MVTEAM Brand Box Or Netural Box Or Specified by customer.

▼ Shipping

M'TEAM



Shipping: Based on the your demands to choose the best shipping way.

Contact us:

If you have any question, welcome to [Contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view [video demos](#),download [product catalog](#) and read [CCTV technical articles](#).