

8CH 720P Wireless Best NVR Camera System With 12.5" LCD Screen(MVT-K08B)

Wireless NVR Kit (MVT-K08B)



- Full HD
- Multi users
- wireless
- Alarm
- Remote monitoring
- Motion detection

Wireless 720P bullet IP Camera

- * 1.0M/720P wireless IP camera
- * with IR CUT
- * 3.6mm Lens
- * 3pcs 3rd generation LED Array,30m IR
- * Waterproof IP66



x8

Specifications:

Wireless NVR Specs		
Operating System	Embedded Linux OS	
AV(audio/video)input	Network Video	8CH
	Network video input broadband	20Mbps
AV (audio/video) output	HDMI input	1ch,resolution:1024x768,1366x768,1440x900,1920x1080p
AV CODEC Specification	Video Resolution	720P/960P
	synch-playback	8CH

Video Control	Video/Capture mode	Manual, Time, Motion
	Playback mode	Real time, Routine, Event
	Backup	USB backup
Hard Disk	Type	1*SATA interface
	Max Capacity	4TB at most for each
External Interface	Network Interface	1 adaptable RJ45 10M/100M, 2 WIFI interface
	USB Interface	3 USB 2.0
Network Control	Protocol	UPnP (play&plug), SMTP (email service), PPPoE (dial-up), DHCP (Automatically obtain an IP address), etc...
Others	Power	DC12V3A
	Power Consumption (W)	≤5W(Without HDD)
	Operate Temperature (°C)	-10°C~+55°C
	Working Humidity (%) RH	10%~90%
	Size	257mm(W)×210mm(V)×45mm(H)
	Weight(excluding HDD)	≤1Kg

Wireless Camera Specs	
Image Sensor	1/4" Progressive Scan Sensor
Signal System	PAL/NTSC
Resolution	1280 x 720 16 : 9 High Definition
Minimum illumination	Color: 0.1 Lux; B/W: 0.01 Lux
Shutter	1/25s to 1/25,000s
Lens	3.6mm
OSD	Date Time & Title
White Balance	Auto
Day&Night	Auto / Color / BW
3D-DNR	Auto
Mirror/Flip	On / Off
Frame Specification	Three Streaming at the Same Time H.264 128x720@30fps or below H.264 640x480@30fps or below
S/N	> 39.1 Db
Interface	RJ45 / WIFI 802.11b/g/n
Anti-thunder Level	Standard IEC61000-4-5
Working Temperature/Humidity	-10℃ to +50℃ / 30% to 80% RH
Storage Temperature/Humidity	-20℃ to +60℃ / 20% to 90% RH
Power Input	DC12V-1A
Power consumption	≤6W
Size	205(L)×70(W)×55 (H)mm
Weight	500g
Level of Protection	IP66

FAQs:

Q1- Whether the wireless kit include hard disk?

A1: The kit come with all needed accessories except the hard disk,
We also can provide hard disk for customer,if you need,just let us know freely.

Q2- Whether the security system support network and mobile phone remote view?

A2: Yes, it can support network function.You can remote view the camera image from any where in the world by computer(IE browser & client software) and smartphone like: iPhone, Android etc. the mobile phone view APP is ESEENET+,more details can be found in our weblink

[How to remote view wireless NVR kit on mobile phone?](#)

Q3- What is the maximum distance between NVR and Camera

A3: The wireless system is a closed system, the signal is from NVR to Camera, about the distance,theoretically,100m in open space and 30m barrier transmit distance.But the practical distance will depends on your environment.



30m barrier transmit distance



100m transmit distance in open space

Shipping: Based on the your demands to choose the best shipping way.

Contact us:

If you have any question, welcome to [Contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com