Best Hybrid DVR 4MP 2560*1440 AHD TVI IP H 264 DVR 4CH (6404H400)

Adopt Newest HiSilicon Chipset

New humanized User Interface

System come with 28 kinds of languages

Adjustable DVR menu transparency

Support backup video records to DVR built-in redundant HDD

**Support playback different time period video records in one screen, save time on find useful video records**

5-in-1 hybrid modes: AHD+TVI+CVI+CVBS+IP

Signal

| Signal | All | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| AHD |
| TVI |
| CVI |
| auto |

DVR menu with Ping command, convenient to do DVR network testing

Main Menu->Network->Network Testing
192.168.1.18 PING
4 packets transmitted, 2 packets received, 50% packet loss
round-trip min/avg/max = 28.430/44.670/60.910 ms
Cancel

With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable

Coaxial control

Channel 1

Zoom
Focus
Iris

Support P2P remote view by CMS and IE browser

Come with cloud ID, easy to realize P2P remote view by scan the QR Codes

Guide->Guide

IOS   Android   SN

Pre Page   Next Page   OK

Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone

CH1 CH2

11:23
4月27日 星期三

TopsView
The camera 测试- Channel 1 has detected motion at 2016-04-27 11:27:41

CH3 CH4

滑动来解锁

1-4MP(2048*1536) Hybrid DVR,support 4MP,3MP,2MP,1.3MP,1MP AHD/TVI/IP and 2MP,1.3MP,1MP CVI Cameras.
2-Different modes optional:
  1)AHD/TVI:4CH 3MP@25fps recording, 2CH 3MP playback；
  2)AHD/TVI:4CH 4MP@12fps recording,4CH 4MP playback；
  3)AHD/TVI/CVI:4CH 1080P@25fps recording,4CH 1080P playback；
  4)HVR:2CH 3MP@25fps Analog + 2CH 3MP@25fps IP recording, 2CH 3MP@25fps playback；
  5)NVR:8CH 1080P@25fps IP recording, 4CH 1080P@25fps playback；
  6)NVR:4CH 3MP@25fps IP recording,4CH 3MP@25fps playback；
  7)NVR:4CH 5MP@25fps IP recording,2CH 5MP@25fps playback；
3-Support P2P remote view on mobile and PC

Model	6404H400
Compression	H.264 Standard compression
Operation	Embedded Linux
Image coding-control	Image edit adjustable,both changable and fix stream optional
Dual stream	Can be set up in each channel
Monitor image quality	4MP(2560*1440),3MP(2048*1536),1080P,1024P,720P
Image dynamic detection	Multiple detection areas in each channel
Hybrid	AHD,TVI,CVI,IP,CVBS
Video mode	Support manual, automatic, dynamic monitoring, alarm trigger video mode
Backup mode	U disk, USB portable disk, USB burn, Network storage and backup
Operate mode	Mouse, remote controller, front panel
login locally	without password
Save recording	local hard disk and network
External interface	Video input	4*BNC
	Audio input	4*RCA
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2*USB 2.0
	RS485	RS485*1
	Alarm input	4CH
	Alarm output	1CH
	Internal HDD	2 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA；
Cell phone monitoring	Support Window Mobile, iPhone,iPad, Android

Power	12V/3A
DVR size	340(L)*265(W)*70(H)mm
Weight	<3.5kg(without HDD)

● PRODUCT PICTURE

MVTEAM

1-Does the dvr come with hard disk?
The DVRs don't come with hard disk,but we also

2- How to increase recording time?

a.Install more hard disks

b.set the dvr to motion detection record

c.reduce the recording resolution and frame rate

3-Does the DVR support P2P?

Yes,the dvr come with cloud id,support P2P remote view on mobile phone and computer.

4-what's the mobile phone view app of the dvr?

The mobile phone app is "**Topsview**"

5-What's the resolution of your dvrs?

720P, 1080N (1080H), 1080P optional

▼ Sales Office and Sample room MVTEAM

▼ Our factory and production workflow MVTEAM

Brush Pasting | SMT | Reflow Soldering | Inspection

Camera Test 2 | Camera Test 1 | Assembling | Soldering

Waterproof Test | Ageing Test | Packing | Ready for shipping

▼ Trade Shows MVTEAM

Contact us:

If you have any question, welcome to [contact us](#).

Your close attention to our company is highly appreciated.

Welcome to visit our official website www.mvteamcctv.com to view [video demos](#),[download product catalog](#) and read [CCTV technical articles](#).

sdfadfasdfasdfasd