
Best Hybrid DVR 4MP 2560*1440 AHD TVI IP H 264 DVR 4CH (6404H400)

Features

M'TEAM





Adjustable DVR menu transparency







Support playback different time period video records in one screen, save time on find useful video records







DVR menu with Ping command, convenient to do DVR network testing

With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable





Support P2P remote view by CMS and IE browser

Come with cloud ID,easy to realize P2P remote view by scan the QR Codes





Support remote view, record, playback, receive motion detection alarm by Iphone and Andriod Smartphone

Sepcifications



- 1-4MP(2048*1536) Hybrid DVR,support 4MP,3MP,2MP,1.3MP,1MP AHD/TVI/IP and 2MP,1.3MP,1MP CVI Cameras.
- 2-Different modes optional:
- 1)AHD/TVI:4CH 3MP@25fps recording, 2CH 3MP playback[]
- 2)AHD/TVI:4CH 4MP@12fps recording,4CH 4MP playback[]
- 3)AHD/TVI/CVI:4CH 1080P@25fps recording,4CH 1080P playback[]
- 4)HVR:2CH 3MP@25fps Analog + 2CH 3MP@25fps IP recording, 2CH 3MP@25fps playback
- 5)NVR:8CH 1080P@25fps IP recording, 4CH 1080P@25fps playback[]
- 6)NVR:4CH 3MP@25fps IP recording,4CH 3MP@25fps playback
- 7)NVR:4CH 5MP@25fps IP recording,2CH 5MP@25fps playback[]
- 3-Support P2P remote view on mobile and PC

| Model | | 6404H400 |
|-------------------------|-------------------|---|
| Compression | | H.264 Standard compression |
| Operation | | Embedded Linux |
| lmage coding-control | | lmage edit adjustable,both changable and fix stream optional |
| Dual stream | | Can be set up in each channel |
| Monitor image quality | | 4MP(2560*1440),3MP(2048*1536),1080P,1024P,720P |
| Image dynamic detection | | Multiple detection areas in each channel |
| Hybrid | | AHD,TVI,CVI,IP,CVBS |
| Video mode | | Support manual, automatic, dynamic monitoring, alarm trigger video mode |
| Backup mode | | U disk, USB portable disk, USB burn, Network storage and backup |
| Operate mode | | Mouse, remote controller, front panel |
| login locally | | without password |
| Save recording | | local hard disk and network |
| External interface | Video input | 4*BNC |
| | Audio input | 4*RCA |
| | Network interface | 10M/100M base-T Ethernet (RJ-45) |
| | USB connect port | 2*USB 2.0 |
| | RS485 | RS485*1 |
| | Alarm input | 4CH |
| | Alarm output | 1CH |
| | Internal HDD | 2 SATA HDD port |
| | Maximum capacity | Maximum 4TB each SATA□ |
| Cell phone monitoring | | Support Window Mobile, iPhone,iPad, Android |

| Power | 12V/3A |
|----------|-----------------------|
| DVR size | 340(L)*265(W)*70(H)mm |
| Weight | <3.5kg(without HDD) |

PRODUCT PICTURE

M'TEAM









2- How to increase recording time?

a.Install more hard disks

b.set the dvr to motion detection record

c.reduce the recording resolution and frame rate

3-Does the DVR support P2P?

Yes, the dvr come with cloud id, support P2P remote view on mobile phone and computer.

4-what's the mobile phone view app of the dvr?

The mobile phone app is "Topsview"

5-What's the resolution of your dvrs?

720P, 1080N (1080H), 1080P optional











Contact us:

If you have any question, welcome to contact us.

Your close attention to our company is highly appreciated.

Welcome to visit our official website <u>www.mvteamcctv.com</u> to view <u>video demos,download product catalog</u> and read <u>CCTV technical articles</u>.

sdfadfasdfasdfasd