China OEM manufacturer Outdoor IP66 Bullet P2P 1080P POE IP Camera(MVT-M2180)

FEATURES

MTEAM

Features:

- 1. Waterproof 1080P POE IP Camera
- 2. With 3MP HD Lens
- 3. P2P function, Motion Detection, FTP
- 4. Mobile Phone remote playback and record
- 5. With audio-in and out port
- 6. 1 year Warranty
- 7. With CE,FCC,RoHS certificates
- 8. POE Optional

SPECS

MAVEL

Model	MVT-M2180
Sensor type	Hi3516C + SONY IMX222,1/2.8" Sony sensor
Compress standard	H.264 Main profile,MPEG4,MJPEG
Main Stream	1920*1080@30fps
Shutter speed	1/50(1/60) ~ 1/100,000 s
Video compression	32Kbps~16Mbps
Lens	3M Pixels 2.8~12mm Lens
Lens Interface type	(M12)
Day and night switch system	IR-CUT
Audio Compression	ADPCM
Minimum illumination	0.05Lux @Color,0.01Lux B/W
Image setting	Saturation,brightness,contrast ratio can be adjusted by CMS and IE browser
Intelligent alarm	Motion detecting, video loss, network cable disconnection, and IP address conflict
Memory Function	Network storage
Network Protocol	P2P,RTP,RTSP,TCP/IP,HTTP,DHCP,DNS,DDNS, PPPoE,SMTP,NTP
General function	Flash-prevention, double stream, heartbeat, password protection
Communication interface	1ch RJ45,10M/100M ethernet ports adaptively
LED	42pcs leds
IR distance	35m
IP Grade	IP66

PRODUCT PICTURE





IP Camera Video Demo



(make sure you have access to YouTube)

CCTV Camera Production Flow



Μ' ΤΞΛΜ

VCE ROHS FCC Certificate of Compliance Certificate of Compliance FCC VERIFICATION OF CONFORMITY Vol. BCTC2011010287 42,8 white BCTC2011010287 42,8 Product : Standalone CVR Ka Certificate Number: BCTC2011010286-62JR Certificate Number: BCTC2011010285-52,JR es WYTEAM Technology Co., Ltd. 107. Zhartao Technology Building, Long Lennie Hiterchange, Borran District, Sh han MVTEAN Technology Co., Ltd. 1907: Zhantee Technology Building: Lo Avenue Interthorge, Bao an District, S Tardemark: MVTEAM : MVT-K64** MVT-K62*, MVT-K64*, MVT-K64*, MVT-K64* (**A-2) MVT-K62**, MVT-K64**, MVT-K64**, MVT-K64**, (**A-2) Sherahen MYTEAM Technology Co., LM. Room 1907, Zhartao Technology Building, Longhua Indust Mindri Avenue Internange, Bairas Dathol, Sherahan, Ch Shenshein MVTEAM Technology Co., Ltd. Room 1107, Zhantao Technology Building, Longhua Industrial Road and Minthi Awawar Henrifwange, Bao'an Dedict, Elsenuturi, Chura of with the top, numeric of A⁵ (211) is 8 of electromogradic compatibility the 812 calor president is activated N OVR KE Standals ne DVR XX NVTEAM WVTEAM. Tank WYTKEP" WYTKEP MYTKEP MYTKEP MYTKEP (***2) WYTKEP MYTKEP MYTKEP (***2) MIN SIVT KOR" MVT KOR", MVT KOR", MVT KOR", MVT KOR" (****2) MVT KOR", MVT KOR", MVT KOR", MVT KOR" (****2) MN. WYT XAPT, WYT XAPT, WYT XAPT, WYT XAPT, "F*A 2] First Standard E N 6522 20000-2006 E N 61000-37 2004 AT 2004 AT 2005 EN 61000-3-7 2008 E N 6100-3-7 2005 AT 2004 Vertrikovski poruško (denovalstvo inportor in to du opportiklito) of fur sameljestavni inportor in Strachav WYEAK Eschoology Cas, Ltd. Norm 1927. Zhariba Tochnings Building, Longhua Indi-Mante Interne Interchange. Test Standard EPA30500, 1994, EN11220-2001 EPA3052-1994, EPA30604-1994 EPA71564, 1992, EPA30600, 1994, EPA82700-2007 The EUT described above has been consolidated by us and found in compliance council RankS directive - 2015/55/EU it is only valid in connection with the test rep ICTC2011010295-52/R TEST LABORATORY ACTURES / REPORTER / COLUMN IN 2 liptor 2 ft CE 2-6/8 Manager Nov. 03, 2011 FC Nov. 05, 2011 RoHS Manager Nov. 09, 2011 conformity in travel or a single measure-ation mentioned probability data. Not imply test and opposed (detailines falses for the procontemp is based in a angle evaluation address methoded product. It does not imply built and neuron. Directions have to be unseen

If you have any question, welcome to *contact us*.

Your close attention to our company is highly appreciated. Welcome to visit our official website <u>WWW.mvteamcctv.com</u> to view video demos,download product catalog and read CCTV technical articles.