

FEATURES



1. Economical Security camera
2. Good image quality and cheap price
3. Widely compatible, able to match AHD DVR and All Standalone DVR
4. Easy to operate, Plug and Play
5. Advanced CMS software supporting 3G remote view

SPECS



Model	MVT-R2041O	MVT-R2041Z
Active Pixel	976*496	P: 976*582
		N: 976*494
Resolution	600TVL	700TVL
Video Out	1.0Vp-p Composite Signal (75ohm)	1.0Vp-p Composite Signal (75ohm)
SYNC	Internal	Internal
Sensor	PC7030	P: 3089
Minimum Illumination	0.01Lux	0.01Lux
Gama adjust	0.45	0.45
Electric Shutter	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s	PAL:1/50s-1/100000s NTSC:1/60s-1/100000s
S/N Ratio	48dB(min)(AGC closed)	48dB(min)
DNR	-	-
AWB	AUTO	AUTO
		AUTO
AGC	AUTO	AUTO
BLC	-	-
OSD	-	-
D-WDR	-	-
SWDR	-	-
		-
HLC	-	-
D-Zoom	-	-
IR-Smart	-	-
Day/Night	-	-
Motion	-	-
Detection	-	-
Language	-	-
Power	50mA	50mA
Dissipation		

Power Input	DC12V±1V	DC12V±1V
Operation Temperature	Temperature -10°C~+60°C, Humidity less than 85%RH	Temperature -10°C~+60°C, Humidity less than 85%RH

● PRODUCT PICTURE



New Appearance CCTV Cameras



MVT-R46
8mm(CS) Lens,
42 pcs IR leds



MVT-R30
8mm Lens,
42pcs×Ø5 IR leds



MVT-R21
2.8-12mm
vari-focal Lens,
42pcs×Ø5 IR leds



MVT-R62
2.8-12mm
vari-focal Lens,
42pcs×Ø5 IR leds



MVT-R58
9-22mm
vari-focal Lens,
72pcs×Ø5 IR leds



MVT-D30
6mm lens,
24pcs×Ø5 IR leds



MVT-D22
6mm lens,
36pcs×Ø5 IR leds



MVT-D28
6mm lens,
36pcs×Ø5 IR leds



MVT-D29
2.8-12mm
vari-focal Lens,
36pcs×Ø5 IR leds



MVT-D26
2.8-12mm(M12)
vari-focal Lens

● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM



For more about AHD Products welcome to Visit [FAQ](#)