

● FEATURES



Função P2P 1.support via IE, QMEYE CMS no PC e iPhone & amp; Telefone móvel Android.

2.QMEYE software pode suportar gravar o vídeo no telefone celular e reprodução remota do vídeo gravado no DVR

Software 3.One cliente pode gerenciar mutiple câmeras de segurança

4.Support atualização macio, suporte 20 idiomas

● SPECS



Modelo	Chave Especificações
MVT-CV6408H (P2P / NAT)	<p>84CH 720p, saída de vídeo: BNC x 1, VGA (1280 * 1024) X 1, saída HDMI: 1920 × 1080</p> <p>P2P Função / NAT: Plug and Play fuction (Sem definição para DDNS e porto encaminhamento quando o IE navegador remoto exibição)</p> <p>Resolução da tela: 8 * 720P, Resolução Record: 8 * 720P, função Zoom Digital Enquanto exibição e reprodução</p> <p>Apoio atualização suave, suporte de saída VGA, directamente ligado ao LCD</p> <p>Informação do disco rígido: Suporte 1pcs SATA HDD, porta USB: USB2.0 * 2pcs, PTZ: RS485</p> <p>Apoio ao Controle Remoto, Tela Remota: navegador IE apoio e cliente software, suporte para a operação do rato, vêm com 1pc mouse.</p> <p>Mobilephone suporte 3G Vigilância (Iphone, Andriod, Blackberry, Windows, Symbian)</p> <p>Menu Vem com chinês simplificado, Inglês, Italiano, Turco, Tailandês, Russo, Francês, Português, Espanhol, hebraico, polonês, persa, alemão, sérvio, Grega, Indonésia, chinês tradicional, japonês, árabe</p>



HD-CVI

High Definition Composite Video Interface

① Introducing HD-CVI

Use Your Existing
Coax Cable



True HD Quality



Extremely
Cost Effective

② This will change everything!

Go From This



This is traditional
cctv system video effect

To This!



This is HD-CVI
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Range Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

P2P Função Advantages:

- * Não precisa fazer a configuração endereço IP estável
- * Não precisa fazer a configuração DDNS
- * Não precisa fazer a configuração do roteador
- * Reduzir o custo de pós-venda

HD-CVI CCTV Camera and DVR

- * Low cost high definition surveillance system
- * Support long-distance HD transmission
- * Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in



MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in



MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket



MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR



MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAX1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view



MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAX1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAX1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAX1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

● FACTORY & OFFICE

M TEAM



● EXHIBITIONS

M TEAM

