

| Модель                  | MBT-CV30A  |
|-------------------------|--|
| Датчик                  | 1/3 "CMOS pixelplus 1,0 М / 720P   |
| СИГНАЛ                  | PAL / NTCS   |
| Видео выход             | HD-XBН   |
| Эффективные пиксели     | 1 280 (H) * 720 (V)  |
| Минимум Освещение       | 0.05Lux @(F1.2, АРУ включена), 0 люкс с ИК   |
| Затвор                  | 1 / 3s~1 / 100,000s, поддерживается медленно затвор  |
| Видео Частота           | 1280 × 720 @ 50 кадров в секунду; 1280 × 720 @ 60 кадров в секунду   |
| Синхронизация           | Внутренний   |
| Видео выход             | 1-канальный BNC HDCVI высокой четкости видео выход   |
| Подавление шума         | 3DNR   |
| OSD                     | Поддержка управления по коаксиальному кабелю   |
| Воздействие             | Режим экспозиции / уровень экспозиции / скорость экспозиции / анти мерцание / режим подсветки                          |
| AWB                     | Автоматический / ручной / день / ночь  |
| День Ночь               | Авто (ICR) / Цвет / В / W  |
| Функция Set             | 3DNR / цифровой усилитель / тип объектива  |
| Расширенные возможности | ID камеры / Зеркало / Динамическое обнаружение / маскировка конфиденциальности / язык / 485 набор / Система Информация |
| Настройка изображения   | Острота / яркость / контрастность / насыщенность / резкость  |
| Расстояние передачи     | торможения / подавление цветности / Гамма / выключатель  |
| Источник питания        | За 500 м через 75-3 коаксиальный кабель  |
| Рабочая обстановка      | ОКРУГ КОЛУМБИЯ 12 ± 10%  |
| Потребляемая мощность   | 30 ° C ~ + 60 ° C / Менше чем 95% RH (без конденсации)   |
|                         | 8W MAX   |




# HD-CVI

High Definition Composite Video Interface

## ① Introducing HD-CVI

Use Your Existing  
Coax Cable



True HD Quality



Extremely  
Cost Effective

## ② This will change everything!

Go From This



This is traditional  
cctv system vedio effect

To This!



This is HD-CVI  
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

## ③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

## P2P Функция Advantages:

- \* Не нужно делать стабильной IP-адрес установки
- \* Не нужно делать настройку DDNS
- \* Не нужно делать настройку маршрутизатора
- \* Снижение стоимости вашего послепродажного

# HD-CVI CCTV Camera and DVR

- \* Low cost high definition surveillance system
- \* Support long-distance HD transmission
- \* Same installation way as traditional CCTV system

## 720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



### MVT-CV11A

Gray and White color optional,  
with 6mm Lens,36pcs×Φ5 IR leds,  
30m IR Distance,  
3-Axis bracket with cable built-in



### MVT-CV21A

Gray and White color optional,  
with 2.8-12mm vari-focal Lens,  
42pcs×Φ5 IR leds,  
35m IR Distance,  
bracket with cable built-in



### MVT-CV73A

with 8mm Lens,  
2 pcs 3rd generation LED Array,  
50m IR Distance,with bracket



### MVT-CV74A

with 16mm Lens,  
4 pcs 3rd generation LED Array,  
100m IR Distance,with bracket

## 720P Display&Record HD-CVI DVR



### MVT-CV6304

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 1pc hard disk  
4-Support P2P network view



### MVT-CV6404H

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6504

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6508

1-8CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH

## ● FACTORY & OFFICE

M'TEAM



## ● EXHIBITIONS

M'TEAM

