

Модель	MBT-CV62A
Датчик	1/3 "CMOS pixelplus 1,0 М / 720P
СИГНАЛ	PAL / NTCS
Видео выход	HD-ХВН
Эффективные пиксели	1 280 (H) * 720 (V)
Минимум Освещение	0.05Lux @(F1.2, АРУ включена), 0 люкс с ИК
Затвор	1 / 3s~1 / 100,000s поддержке медленный затвор
Видео Частота	1280 × 720 @ 50 кадров в секунду;1280 × 720 @ 60 кадров в секунду
Синхронизация	Внутренний
Видео выход	1-канальный BNC HDCVI высокой четкости видео выход
Подавление шума	3DNR
OSD	Поддержка управления по коаксиальному кабелю
Воздействие	Режим экспозиции / скорость / Уровень экспозиции / анти мерцания / режим подсветки
AWB	Автоматический / ручной / день / ночь
День Ночь	Авто (ICR) / Цвет / В / W
Функция Set	3DNR / цифровой усилитель / тип объектива
Расширенные возможности	ID камеры / Зеркало / Динамическое обнаружение / маскировка язык / 485 набор / информация / Система
Настройка изображения	Резкость / яркость / контрастность / насыщенность / резкость торможения / подавление цветности / гамма / выключатель
Расстояние передачи	За 500 м через 75-3 коаксиального кабеля
Источник питания	12 В постоянного тока ± 10%
Рабочая обстановка	30 ° C ~ + 60 ° C / Менее 95% относительной влажности (без конденсации)
Потребляемая мощность	8W MAX




HD-CVI

High Definition Composite Video Interface

① Introducing HD-CVI

Use Your Existing
Coax Cable



True HD Quality



Extremely
Cost Effective

② This will change everything!

Go From This



This is traditional
cctv system vedio effect

To This!



This is HD-CVI
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

P2P Функция Advantages:

- * Не нужно делать стабильной IP-адрес установки
- * Не нужно делать настройку DDNS
- * Не нужно делать настройку маршрутизатора
- * Снижение стоимости вашего послепродажного

HD-CVI CCTV Camera and DVR

- * Low cost high definition surveillance system
- * Support long-distance HD transmission
- * Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in



MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in



MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket



MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR



MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view



MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

● FACTORY & OFFICE

M' TEAM



● EXHIBITIONS

M' TEAM

