

Örnek	MVT-CV29A
Algılayıcı	1/3 "CMOS pixelplus 1.0M / 720P
SİNYAL	PAL / NTCS
Video Çıkışı	HD-CVI
Etkin Piksel	1280 (H) + 720 (V)
Min. Aydınlatma	0.05Lux @(F1.2, AGC ON)IR ile 0 Lux
Shutter	1 / 3s~1 / 100,000, desteklenen yavaş deklanşör
Video Frekansı	50 fps @ 1280 × 720;60 fps @ 1280 × 720
Senkronizasyon	Iç
Video Çıkışı	1-kanal BNC HDCVI yüksek tanımlı video çıkışı
Gürültü azaltma	3DNR
OSD	Destek koaksiyel kumanda
Pozlama	Pozlama / pozlama düzeyi / pozlama hız / anti-flicker / arka modu
AWB	Otomatik / manuel / gün / gece
Gündüz gece	Otomatik (ICR) / Renkli / S / B
Fonksiyon Seti	3DNR / dijital amplifikatör / lens tipi
Gelişmiş özellikler	/ Ayna / dinamik algılama / gizlilik maskeleyme / dil / 485 set / sistem bilgileri Kamera Kimliği
Görüntü Ayarı	Netlik / parlaklık / kontrast / doygunluk / netlik inhibisyonu / a kroma bastırma / gamma / anahtarı
İletim Uzaklık	75-3 koaksiyel kablo üzerinden 500m üzerinde
Güç kaynağı	DC 12V ± 10%
İş çevresi	30 ° C ~ + 60 ° C / az% 95 RH (yoğunlaşma yok)
Enerji tüketimi	8W MAX



# HD-CVI

High Definition Composite Video Interface

## ① Introducing HD-CVI

Use Your Existing  
Coax Cable



True HD Quality



Extremely  
Cost Effective

## ② This will change everything!

Go From This



This is traditional  
cctv system vedio effect

To This!



This is HD-CVI  
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

## ③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

## P2P İşlev Advantages:

- \* Kararlı IP adresi ayar yapmak gerek yok
- \* DDNS kurulum yapmak gerek yok
- \* Router kurulum yapmak gerek yok
- \* Senin satış sonrası maliyetlerin azaltılması

# HD-CVI CCTV Camera and DVR

- \* Low cost high definition surveillance system
- \* Support long-distance HD transmission
- \* Same installation way as traditional CCTV system

## 720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



### MVT-CV11A

Gray and White color optional,  
with 6mm Lens,36pcs×Φ5 IR leds,  
30m IR Distance,  
3-Axis bracket with cable built-in



### MVT-CV21A

Gray and White color optional,  
with 2.8-12mm vari-focal Lens,  
42pcs×Φ5 IR leds,  
35m IR Distance,  
bracket with cable built-in



### MVT-CV73A

with 8mm Lens,  
2 pcs 3rd generation LED Array,  
50m IR Distance,with bracket



### MVT-CV74A

with 16mm Lens,  
4 pcs 3rd generation LED Array,  
100m IR Distance,with bracket

## 720P Display&Record HD-CVI DVR



### MVT-CV6304

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 1pc hard disk  
4-Support P2P network view



### MVT-CV6404H

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6504

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6508

1-8CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH

## ● FACTORY & OFFICE

M' TEAM



## ● EXHIBITIONS

M' TEAM

