FEATURES

الميزات الرئيسية:

• 1.3M بكسل في الوقت الحقيقي الكامل
• HD و CVBSمتابعة الفيديو القياسية
Vandalproof عن بعد، كاميرا M IRجيل صفيف الصمام، 15 rd• 3 أجهزة الكمبيوتر 3
• 360 **سمك-عين** درجة Panorكاميرا AMIC، 5 معMP 1.5MM (M12) عدسة
• 500 بعد انتقال دعم فوق M تحت العام 75- 3 الكبل المحوري من دون خسارة
• عالية السرعة، لمسافات طويلة، ونقل في الوقت الحقيقي
• OSD دعم القائمة
• التبديل، لتحقيق يوم و ليلة مراقبة ICR مع
• 3 حقا المستوردة تستخدم rdجيل المصابيح الحمراء وميجابيكسل عدسة عالية الوضوح، وقد ظهرت هذه الكاميرات عن الأداء الكبير في استعادة اللون، تعريف الصورة والمشاهدة ليلا.

أماكن التطبيق

تنطبق على المالية، وسوبر ماركت والاتصالات والحكومية والمدارس والمطارات والمصانع والفنادق والمتاحف وغيرها من أماكن متطلبات عالية الوضوح.

SPECS

Model	MVT-AH60T	MVT-AH60B
Sensor	1/3" CMOS pixel plus 1.3M/ 1024P AR0130	1/3" CMOS pixel plus 1.3M/ 1024P SONY225
SIGNAL	PAL / NTCS	
Video Output	HD-AHD/CVBS	
Effective Pixels	1280(H)*1024(V)	1280(H)*1024(V)
Min. Illumination	0.01Lux F1.2	
Shutter	4/25s~1/45,000s	
Synchronization	Internal	
Video Output	1-channel BNC HDAHD/CVBS high definition video output	
BLC	optional	
OSD	optional	
AWB	Automatic / manual / day / night	
Day/Night	Auto(ICR) / Color / B/W	
Transmission Distance	Over 500m via 75-3 coaxial cable	
Power Supply	DC 12V±10%	
Working Environment	30°C~+60°C/Less than 95%RH(no condensation)	
Power Consumption	4W MAX	

PRODUCT PICTURE

FACTORY & OFFICE

EXHIBITIONS

M'TEAM

□□□ □□□□□□□□□ □□ □□□□□ **AHD** □□□□□□□□□ □□□□□ □□ □□□ □□□□□ □□□□□□□□