

## ● SPECS

M TEAM

نموذج	MVT-CV46A
الاستشعار	1/3 "CMOS pixelplus 1.0M / 720P
SIGNAL	PAL / NTCS
إخراج الفيديو	السيديا HD
بكسل فعالة	1280 (H) * 720 (V)
دقيقة. إضاءة	0.05Lux @(F1.2, AGC ON), 0 IR لوكس مع
مصراع	بدعم مصراع بطيئة، 1 / 3S~1 / 100,000s
تردد الفيديو	إطارا في الثانية: 1280 × 720 @ 60 إطارا في الثانية @ 50
تزامن	داخلي
إخراج الفيديو	عالية الوضوح إخراج الفيديو HDCVI BNC قناة-1
تقليل الضوضاء	3DNR
OSD	دعم للتحكم المحورية
تعرض	طريقة التعرض / التعرض سرعة مستوى / التعرض / وضع الخلفية
AWB	التلقائي / دليل / اليوم / ليلة
يوم / ليلة	السيارات (ICR) / اللون / B / W
حدد وظيفة	مكبر للصوت الرقمي / نوع العدسة / 3DNR
الخيارات المتقدمة	الكاميرا / مرآة / ديناميكية / كشف الخصوصية اخفاء / اللغة / 485 مجموعة / نظام المعلومات ID
صورة تعديل	الحدة / السطوع / التباين / التشيع / الحدة تثبيت / أ صفاء قمع / غاما / التبديل
بعد انتقال	عبر 3-75 الكبل المحوري M أكثر من 500
مزود الطاقة	12V DC ± 10%
بيئة العمل	30 ° C ~ + 60 ° C / 95 ٪ أقل من RH (بدون تكاثف)
استهلاك الطاقة	8W MAX

## ● PRODUCT PICTURE

M TEAM



# HD-CVI

High Definition Composite Video Interface

## ① Introducing HD-CVI

Use Your Existing  
Coax Cable



True HD Quality



Extremely  
Cost Effective

## ② This will change everything!

Go From This



This is traditional  
cctv system vedio effect

To This!



This is HD-CVI  
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

## ③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

## P2P وظيفة Advantages:

- \* ثابت IP لا تحتاج إلى القيام بإعداد عنوان
- \* DDNS لا تحتاج إلى القيام بالإعداد
- \* لا تحتاج إلى القيام إعداد راوتر
- \* تقليل الكلفة ما بعد البيع

# HD-CVI CCTV Camera and DVR

- \* Low cost high definition surveillance system
- \* Support long-distance HD transmission
- \* Same installation way as traditional CCTV system

## 720P HD-CVI camera

1/2.9" CMOS ,1.0M/720P,with IR CUT(PO3100)



### MVT-CV11A

Gray and White color optional,  
with 6mm Lens,36pcs×Φ5 IR leds,  
30m IR Distance,  
3-Axis bracket with cable built-in



### MVT-CV21A

Gray and White color optional,  
with 2.8-12mm vari-focal Lens,  
42pcs×Φ5 IR leds,  
35m IR Distance,  
bracket with cable built-in



### MVT-CV73A

with 8mm Lens,  
2 pcs 3rd generation LED Array,  
50m IR Distance,with bracket



### MVT-CV74A

with 16mm Lens,  
4 pcs 3rd generation LED Array,  
100m IR Distance,with bracket

## 720P Display&Record HD-CVI DVR



### MVT-CV6304

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 1pc hard disk  
4-Support P2P network view



### MVT-CV6404H

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6504

1-4CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH



### MVT-CV6508

1-8CH 720P  
2-Video output:BNCx1,VGAx1,HDMIx1  
3-Support 2pcs hard disk  
4-Support P2P network view  
5-Support Alarm input:4CH,Alarm output:1CH

## ● FACTORY & OFFICE

M' TEAM



## ● EXHIBITIONS

M' TEAM

