

8CH 1080P 6708) البسيطة حجم الفيديو الرقمية تسجيل المعدات (H80P)

● Features

MTEAM

Adopt Newest HiSilicon
Chipset



New humanized
User Interface



System come with
28 kinds of languages



Adjustable DVR
menu transparency




Support backup video
records to DVR built-in
redundant HDD



Support playback different
time period video records in
one screen, save time on find
useful video records



Hybrid DVR support three
kinds of modes:
full analog channels
analog+digital channels
full digital channels



DVR menu with Ping
command, convenient to do
DVR network testing



With UTC Function, control
analog camera and PTZ camera
on DVR thru coaxial cable



Support P2P remote view
by CMS and IE browser



Come with cloud ID, easy to
realize P2P remote view
by scan the QR Codes



Support remote view, record,
playback, receive motion
detection alarm by Iphone
and Andriod Smartphone



Adopt Newest HiSilicon
Chipset



New humanized
User Interface



System come with
28 kinds of languages



Adjustable DVR
menu transparency




Support backup video
records to DVR built-in
redundant HDD



Support playback different
time period video records in
one screen, save time on find
useful video records



Hybrid DVR support three
kinds of modes:
full analog channels
analog+digital channels
full digital channels



DVR menu with Ping
command, convenient to do
DVR network testing



With UTC Function, control
analog camera and PTZ camera
on DVR thru coaxial cable



Support P2P remote view
by CMS and IE browser



Come with cloud ID, easy to
realize P2P remote view
by scan the QR Codes



Support remote view, record,
playback, receive motion
detection alarm by Iphone
and Andriod Smartphone



- 1.AHD: 8CH 1080 P@ 15FPS, 4CH 1080P تشغيل.
- 2.HVR: 4CH 1080P @ 25FPS 4 + CH 1080P IP تسجيل 25FPS, P@ 25FPS تشغيل 2CH 1080.
- 3.NVR: 8CH 1080P @ 25FPS IP تسجيل, 4CH 1080 P@ 25FPS تشغيل.
- 4.Audio:4ch~gender=M, 1 خرج CH إدخال

نموذج		6708H80P
ضغط		H.264 ضغط قياسي
عملية		لينكس جزءا لا يتجزأ من
صورة الترميز السيطرة		تحرير الصور قابل للتعديل، على حد سواء الشكل قابل وإصلاح تيار اختياري
تيار مزدوج		يمكن أن تقام في كل قناة
جودة صورة الشاشة		8CH * 1080P(NVR),8 * 1080P(AHD)
صورة الكشف الديناميكي		الكشف عن المناطق متعددة في كل قناة
فرايمراتي الفيديو		180P 25FPS / CH NVR □1080P 15FPS / CH AHD
جودة تشغيل صورة		NVR 4 * 180P 25FPS، AHD 4CH 1080P
وضعية الفيديو		دليل للدعم، التلقائي، رصد دينامية، والتنبيه الزناد وضع الفيديو
وضع النسخ الاحتياطي		الحرق، شبكة التخزين والنسخ الاحتياطي USB، القرص المحمولة USB، يو القرص
وضع التشغيل		فأر□ جهاز التحكم□لوحة التحكم الأمامية
تسجيل الدخول محليا		و كلمة المرور admin
حفظ تسجيل		القرص الثابت المحلي وشبكة
الواجهة الخارجية	إدخال الفيديو	180P @ 25FPS / CH NVR □ 1080P @ 15FPS / CH AHD
	إدخال الصوت	4× RCA
	واجهة الشبكة	10M / 100M إيثرنت T-قاعدة (RJ-45)
	ربط USB منفذ	2 × USB 2.0
	RS485	RS485 * 1
	المدخلات التنبيه	لا
	ناقوس الخطر الناتج	لا
	الأقراص الصلبة الداخلية	1 SATA HDD ميناء
	السعة القصوى	SATA أقصى 4السل كل
مراقبة الهاتف الخليوي		دعم ويندوز موبايل، اي فون، آي باد، الروبوت
قوة		12V /2A
حجم DVR		255 * 45 * 235mm
وزن		HDD بدون) kg؛ 2.7 lt & العلامة





MTEAM

EXHIBITIONS

M'TEAM



▼ Packages

M'TEAM



▼ Shipping

M'TEAM



اتصل بنا:

إذا كان لديك أي سؤال، نرحب [اتصل بنا](#).

هو محل تقدير كبير اهتمامكم وثيقة لشركتنا.

للمشاهدة [الفيديو التحريية](#)، [كتالوج تحميل المنتج](#) و [اقرأ مقالات](#) www.mvteamcctv.com [مرحبا بكم في زيارة موقعنا الرسمي](#)
[تقنية الدوائر التلفزيونية المغلقة](#).