

FEATURES



- 1.أمن؛ الروبوت الهاتف المحمول. & iPhone و PC في QMEYE CMS، عبر P2P طيفة support.
- 2 DVR يمكن أن تدعم تسجيل الفيديو في الهاتف المحمول وتشغيل عن بعد تسجيل الفيديو في QMEYE. برنامج
- 3 يمكن إدارة يقمن الكاميرات الأمنية One. برنامج عميل
- 4.Support لغات دعم 20

SPECS



	MVT-CV6508
الكاميرا	H.264
المنفذ	4
البروتوكول	RTSP
التراسل	ONVIF
الوسائط المتكاملة	720P (1280 × 720)
التراسل	720P 25FPS / CH (PAL) 30FPS / CH (NTSC)
البروتوكول	720P 240 FPS
المنفذ	USB
المنفذ	USB
المنفذ	admin
المنفذ	

□□□□
□□□□□□
□□□□ □□□□
□□□□
□□□□□□
□□□□
□□□□□□
□□□□ □□□□ □□□□
□□□□ □□□□□□
□□□□□□
USB
□□□□□□
□□□□
RS485
□□□□ □□□□
□□□□
□□□□□□
HDD
□□□□ □□□□□□
□□□□□□ □□□□□□
□□□□□□ □□□□ □□□□□□
□□□□
□□□□□□ □□□□ □□□□□□
□□□□ □□□□□□
DVR □□□
□□□□

PAL: 720P @ 25 / 30FPS 60 / 50 □□□FPS

4 × RCA

1 * BNC□ 1 * VGA□ 1 * HDMI

1 * RCA□ 1 * HDMI

□□□□-T 10M / 100M / 1000M □□□□□□ (RJ-45)

2 × USB 2.0

RS485 * 1

4CH

1CH

2 □□□□ SATA HDD

3 □□□□□□ □□□□TB □□ SATA

□□□□□□□□ □□□□ □□□□ □□□□□□□□ □□□□ □□ □□□□ □□ □□□□□□□□ □□□□□□ □□□□ □□□□
3 □□□□□□ □□□□□□G

12V / 5A

-10°C ~ +55°C

10%-90%

380 * 295 * 55MM

□□□□□□□□ & lt2.7 □kg (□□□□ HDD)



HD-CVI

High Definition Composite Video Interface

① Introducing HD-CVI

Use Your Existing
Coax Cable



True HD Quality



Extremely
Cost Effective

② This will change everything!

Go From This



This is traditional
cctv system vedio effect

To This!



This is HD-CVI
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio



P2P وظيفة Advantages:

- * ثابت IP لا تحتاج إلى القيام بإعداد عنوان
- * DDNS لا تحتاج إلى القيام بالإعداد
- * لا تحتاج إلى القيام إعداد راوتر
- * تقليل الكلفة ما بعد البيع

HD-CVI CCTV Camera and DVR

- * Low cost high definition surveillance system
- * Support long-distance HD transmission
- * Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in



MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in



MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket



MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR



MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view



MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

● FACTORY & OFFICE

M' TEAM



● EXHIBITIONS

M' TEAM

