

□□□□□

MVT-CV58A

□□□□□□□□□□

1/3 "CMOS pixelplus 1.0M / 720P

SIGNAL

PAL / NTCS

□□□□□□□ □□□□□

HD-□□□□□□

□□□□□ □□□□

1280 (H) * 720 (V)

□□□□□ □.□□□□□□

0.05Lux @(F1.2 □ AGC ON) □ 0 □□ □□□□ IR

□□□□□□

1 / 3S~1 / 100□000s□ □□□□□ □□□□□ □□□□

□□□□□□□ □□□□

1280 × 720 @ 50 □□ □□□□□ 60 @ 720 × 1280:□□□□□□□ □□ □□□□□
□□□□□□□□

□□□□□□

□□□□□

□□□□□□□ □□□□□

1-□□□□ BNC HDCVI □□□□□□□ □□□□□ □□□□□ □□□□□

□□□□□□□ □□□□□

3DNR

OSD

□□□□□□□□ □□□□□□ □□□

□□□□□

□□□ / □□□□ □□□□□□□□ / □□□□□□□ □□□□ / □□□□□□ □□□□□□ / □□□□□□ □□□□□□
□□□□□□□□

AWB

□□□□ / □□□□□□ / □□□□□ / □□□□□□□□□□

□□□□□ / □□□□

□□□□□□□□□□ (ICR) / □□□□□□ / B / W

□□□□□□ □□□□

3DNR / □□□□□□□ □□□□ / □□□□□□ □□□□□□□□□□

□□□□□□□□□ □□□□□□□□□□

ID / □□□□□□□□□□ □□□□□□ / □□□□□□□□□□ □□□□□□ / □□□□□ / □□□□□□□□□□
□□□□□□□□□□ □□□□□□□□ / □□□□□□□□ 485 / □□□□□□□

□□□□□□ □□□□

/ □□□□□ □□□□ □ / □□□□□□ □□□□□□ / □□□□□□□□ / □□□□□□□□□□ / □□□□□□□□ / □□□□□□□□
□□□□□□□□□□ / □□□□□□

□□□□□□□ □□□□

500 □□ □□□□M □□□□□□□ □□□□□ □□□□□ 3-75 □□□□

□□□□□□□ □□□□

DC 12V ± 10□

□□□□□□ □□□□

30 ° C ~ + 60 ° C / 95 □□ □□□□ RH (□□□□□□□ □□□□□)

□□□□□□□ □□□□□□□□

8W MAX



HD-CVI

High Definition Composite Video Interface

① Introducing HD-CVI

Use Your Existing
Coax Cable



True HD Quality



Extremely
Cost Effective

② This will change everything!

Go From This



This is traditional
cctv system vedio effect

To This!



This is HD-CVI
720P Full Size

Highlights

- HD 720P Video on coax.
- Long Distance Transmission up to 1600ft.
- Video,RS485 and sound over one cable.

③ Benefits

- Upgrade to Megapixel Quality on your coax cable!
- Long Rane Runs up to 1600ft!
- One Cable for Video,RS485 and Audio!
- No Signal Loss!
- Around the same price as the older analog CCTV technology!



Video



RS485



Easy Install



Audio

P2P وظيفة Advantages:

- * ثابت IP لا تحتاج إلى القيام بإعداد عنوان
- * DDNS لا تحتاج إلى القيام بالإعداد
- * لا تحتاج إلى القيام إعداد راوتر
- * تقليل الكلفة ما بعد البيع

HD-CVI CCTV Camera and DVR

- * Low cost high definition surveillance system
- * Support long-distance HD transmission
- * Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)



MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in



MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in



MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket



MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR



MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view



MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH



MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM

