

1080P 30X MVT-NO904

FEATURES




**IP PTZ Camera Automatic
cruise settings via CMS**
MVTEAM Author: MVTEAM
Duration: 00:02:42
Date: 2016-01-08


| | |
|--------------|--|
| SPEC | |
| OS | LINUX RTOS 32 DSP TI DM368 |
| RAM | 32M 128M DDR2 |
| Codec | H.264 0.1M-6Mbps |
| Frame rate | 200 25fps @ 1-25 FPS |
| Resolution | 1920x1080, 1280x720; |
| Dimensions | 640x360 480x270 352x288 320x240 352x192 320x192 288x192 256x192; |
| IO | IO IP |
| Protocols | RTSP / FTP / PPPOE / DHCP / DDNS / NTP / UPnP |
| Interface | WEB OSD |
| Software | UC2 VM6000 SDK |
| CAMERA SPEC | |
| Sensor | 1/3" CMOS |
| Resolution | 1920x1080 |
| Lens | |
| FOV | 58.16°-2.9° |
| Zoom | 4.3x 129.0x |
| Frame rate | 30 |
| Illumination | 0.02LUX |
| WDR | |
| SPEC FUNTION | WDR |
| IRCF | * / |
| IR | 1.0 0.01 |
| Audio | DSP-8 |
| IRCF | * / R / B UP DOWN |
| IRCF | * / |

| | |
|----------|---|
| ꠃꠅ | |
| ꠃꠅꠃꠃ | 10BASE-Tꠃ/ 100BASE-TXꠃRJ45ꠃꠃꠃ |
| ꠃꠃꠃꠃꠃꠃꠃꠃ | 1920 * 1080 |
| ꠃ | 25/30 fpsꠃ |
| ꠃꠃꠃꠃ | H.264 / MJPEG |
| ꠃꠃꠃ | ꠃꠃ |
| ONVIF | ONVIF 2.4ꠃꠃꠃ |
| ꠃꠃ | TCP / IP.HTTP.DHCP.PPPoE.UDP.RTP / RTCP.DNS.DDNS .UPnP.SMTP |
| ꠃꠃꠃꠃ | ꠃꠃ0.2ꠃꠃ200ꠃ/ Sꠃ |
| ꠃꠃꠃꠃ | ꠃꠃꠃꠃ0.2ꠃꠃ100ꠃ/ Sꠃ |
| ꠃꠃꠃꠃ | 200ꠃ/ S |
| ꠃꠃ | ꠃꠃ360ꠃꠃꠃꠃ0ꠃꠃ90ꠃꠃꠃꠃꠃ |
| ꠃꠃꠃꠃ | ꠃꠃꠃꠃꠃꠃꠃꠃ/ꠃꠃꠃꠃꠃ |
| ꠃꠃ | 128ꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃ |
| ꠃꠃꠃꠃ | ꠃꠃꠃꠃꠃ90ꠃꠃꠃꠃꠃꠃꠃꠃ180ꠃ |
| ꠃꠃ | 355ꠃꠃꠃꠃꠃꠃ4ꠃꠃ |
| ꠃꠃ | 4ꠃꠃ |
| ꠃꠃꠃꠃ | ꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃ |
| ꠃꠃꠃꠃ | ꠃꠃꠃꠃꠃ/ꠃꠃꠃ/ꠃꠃꠃ/ꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃ |
| ꠃꠃꠃꠃ | ꠃꠃꠃꠃꠃꠃꠃꠃ/ꠃꠃꠃꠃꠃꠃꠃ/ꠃꠃꠃꠃꠃꠃꠃꠃꠃꠃ |
| OSD | ꠃꠃꠃ |
| ꠃꠃ | ꠃꠃ |
| ꠃꠃ | -20ꠃꠃꠃꠃ+ 60ꠃꠃꠃ |
| ꠃꠃ | 0ꠃꠃ95ꠃꠃꠃꠃꠃꠃꠃ |
| ꠃꠃꠃꠃ | IP66ꠃꠃꠃꠃꠃꠃꠃꠃꠃ |
| ꠃꠃꠃꠃ | AC24V / 40WꠃꠃꠃꠃIRꠃ |
| ꠃꠃ | 6.5ꠃꠃ |

▼ Sales Office and Sample room **M' TEAM**



▼ Our factory and production workflow **M' TEAM**



▼ Trade Shows **M' TEAM**



□□□□

□□□□□□□□□□ □□□□

□□□□□□□□□□□□

□□□□□□□□□□ www.mvteamcctv.com□