

## H.265 2MP 1080P 30m Starvis IP MVT-M1480S

# H.265 Starlight IP Camera

## Super Low-Light Effect (Under 0.001Lux)

STARLIGHT

MOTION

1080P HD

P2P

POE

H.265



No light



B/W Mode

Low light



Color Mode

Daytime



Clear Color Mode

### FEATURES

MTEAM

\* Adpots DSP Hi3516CV300 CMOS IMX291 1080P / 2MP

\* 0.001Lux

\* H.265

\* 6M1230

IP VS

XVR  
Common Camera



Starlight IP Camera



1080p

MVTEAM Starlight IP Camera Clear Color Image at Dayti...



2017-12-13 11:09



MVTEAM Starlight IP Camera Video Record(No Light)



2017-12-13 00:13



▼ Side View

M' TEAM



▼ Front View

M' TEAM



▼ Back View

M' TEAM



|       |                                                                   |
|-------|-------------------------------------------------------------------|
| 型號    | <b>MVT-M1480S</b>                                                 |
| 鏡頭    | 1 / 2.8"SONY CMOS IMX291                                          |
| DSP   | Hi3516CV300                                                       |
| 編碼    | H.265 / H.264 / JPEG / AVI / MJPEG                                |
| 解析度   | 1080P 1920 * 1080                                                 |
| 幀率    | 1/50 1/60 1 / 100,000                                             |
| 傳輸速率  | 32Kbps~16Mbps                                                     |
| 焦距    | 2.8~12mm                                                          |
| 感光元件  | 1/2" CMOS                                                         |
| 夜視功能  | IR-CUT                                                            |
| 音訊    | ADPCM                                                             |
| WDR   | DWDR                                                              |
| 最低照度  | 0.001LUX                                                          |
| 動態範圍  | 120dB                                                             |
| 網路功能  | IP 網路                                                             |
| 網路協議  | P2P, RTP, RTSP, TCP / IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP, NTP |
| 網路速度  | 10M / 100M / 1000M                                                |
| LED   | 2 LED                                                             |
| 安裝方式  | 30°                                                               |
| ONVIF | ONVIF 2.4                                                         |
| 電源    | DC 12V / 1A                                                       |
| 工作溫度  | -10°C~50°C                                                        |

### ▼ Packages

Brand Camera Package



Neutral Camera Package



Brand DVR Package



● MVTEAM 品牌相機包裝 品牌



## ▼ Shipping

## M'TEAM



我們 專業提供 各種服務

服務

我們提供各種服務 服務

我們提供各種服務 服務

我們 服務 [www.mvteamcctv.com](http://www.mvteamcctv.com) 服務服務服務服務CCTV服務