3MP AHD□□□□CCTV□□□□□□□□□□□MVT-AH26F□

FEATURES

1□□□1/3“CMOS AR0330□□□□DSP NVP2470H□□□ **300□□□□2048×1536□** □□□
2-2.8-12mm□M12□□□□□
3-75-□□□□□□□□□□□□□□□□□□
4□□□□□□□□□□□□
5Support OSD
6□□□□□□□□□□□;□□□□□□

□□□
□□

SPECS

□□	MVT-AH26F
□□□	1/3“CMOS □AR0330 + NVP2470H □ 3.0MP
□□	□□ / NTCS
□□ □□	AHD / CVBS
□□	2.8-12mm□M12□ □□□□ □□
IR □□	30PCSΦ5× IR LED□□30M IR □□
□□□ □□	0.01LUX F1.2
□□	4/25□□1 / 45,000s
□□	□□
BLC	□□□
OSD	□□□
AWB	□□ / □□ / □ / □
□□	□ IR □□ □□□ICR□ / □□ / □/□
□□	□□ 500□ □□ 75-3 □□ □□
□□	
□□ □□	DC 12V±10□
□□	30°C□+ 60°C /□ □ 95□RH□□ □□□
□□	
□□	IK10
□□	2 □□
□□	4W MAX

PRODUCT PICTURE

140mm
100mm
Metal Housing
30 pcs Leds
IR Distance 30m
Vandalproof
MVTEAM

IK10□□□□□

1. TEST SUMMARY

中国认可
国际互认
检测
TESTING
CNAS L0579

Table 1 Test overview

Test Items	Specimen status	Serial/Specimen No.	Test conclusion	Processed date
IK10 test	Unpackaged, non-operating	1#	Pass	Mar.04,2016

APPENDIX A PHOTO

No.	Depiction	Photo
1	Inspection before test	
2	Impact position (3 impacts on center,1 impact on left,1 impact on right)	
3	IK10 test (3 impacts on center)	

No.	Depiction	Photo
4	IK10 test (1 impact on left)	
5	IK10 test (1 impact on right)	
6	Inspection after test(the operation of the camera is normal)	

● EXHIBITIONS

MVTEAM

□□□□□□□□□□□□ □□□□□
□□□□□□□□□□□□□□□□□
□□□□ □□□□□□□□ www.mvteamcctv.com □□□□□□□□□□□□□□□□□□□□CCTV□□□□□