



8CH IP NVR 10" WIFI MVT-K08



## IP Camera



## Display device



## 10" NVR

10" 8CH NVR 10" WIFI  
8CH IP Camera  
8V 12V DC / 2A  
10" LCD  
1CD CMS



## 1-8CH NVR

### FEATURES



- \* 10" LCD 1280 \* 1024 330
- \* Wi-Fi 802.11b / g / n 150Mbps
- \* HDMI
- \* 8 \* 720P; 8 \* 960P 8 \* 960H 4 \* 720P; 8 \* 960P

\* 3 USB 4TB P2P X1

## SPECS

M'TEAM

|      |           |                                          |
|------|-----------|------------------------------------------|
| NVR  |           |                                          |
|      | Linux     |                                          |
| AV/  |           | 8CH                                      |
|      | broadbank | 20Mbps                                   |
| AV / | HDMI      | 1024x768,1366x768<br>1440x900,1920x1080p |
| AV   |           | D1 / 720P                                |
|      |           | 8CH                                      |
|      | /         | Maual                                    |
|      |           |                                          |
|      | USB       | USB                                      |
|      |           | 1 * SATA                                 |
|      |           | 4 TB                                     |
|      |           | 1 RJ45 10M / 100M<br>2                   |
|      | USB       | 3 USB 2.0                                |
|      |           | SMTP<br>survicePPPoE<br>DHCP IP ...      |
|      |           | DC12V3A                                  |
|      | W         | ≤5W HDD                                  |
|      | C         | -10°C + 55°C                             |
|      | RH        | 10~90                                    |
|      |           | 257×210V×45H                             |
|      | HDD       | ≤1Kg                                     |

## PRODUCT PICTURE

M'TEAM



## MVTEAM NVR



## MVTEAM NVR



## 2-720P

### FEATURES

- \* 1.0M / 720P IPC
- \* IR CUT
- \* 3.6mm
- \* 3 LED 30M
- \* IP66

### SPECS

MVTEAM

MVTEAM

| Wireless Camera Specs        |                                                                                                  |
|------------------------------|--------------------------------------------------------------------------------------------------|
| Image Sensor                 | 1/4" Progressive Scan Sensor                                                                     |
| Signal System                | PAL/NTSC                                                                                         |
| Resolution                   | 1280 x 720 16 : 9 High Definition                                                                |
| Minimum illumination         | Color: 0.1 Lux;<br>B/W: 0.01 Lux                                                                 |
| Shutter                      | 1/25s to 1/25,000s                                                                               |
| Lens                         | 3.6mm                                                                                            |
| OSD                          | Date Time & Title                                                                                |
| White Balance                | Auto                                                                                             |
| Day&Night                    | Auto / Color / BW                                                                                |
| 3D-DNR                       | Auto                                                                                             |
| Mirror/Flip                  | On / Off                                                                                         |
| Frame Specification          | Three Streaming at the Same Time<br>H.264 128x720@30fps or below<br>H.264 640x480@30fps or below |
| S/N                          | > 39.1 Db                                                                                        |
| Interface                    | RJ45 / WIFI 802.11b/g/n                                                                          |
| Anti-thunder Level           | Standard IEC61000-4-5                                                                            |
| Working Temperature/Humidity | -10℃ to +50℃ / 30% to 80% RH                                                                     |
| Storage Temperature/Humidity | -20℃ to +60℃ / 20% to 90% RH                                                                     |
| Power Input                  | DC12V-1A                                                                                         |
| Power consumption            | ≤6W                                                                                              |
| Size                         | 205(L)×70(W)×55 (H)mm                                                                            |
| Weight                       | 500g                                                                                             |
| Level of Protection          | IP66                                                                                             |

## ● PRODUCT PICTURE

**M' TEAM**



3-12VDC/ 2A



4-CD



5



#### □□□□NVR□□

**4CH Wireless NVR Kit**  
[www.mvteamcctv.com](http://www.mvteamcctv.com)

**M'TEAM** CE FC

**4CH Wireless NVR Kit**  
[www.mvteamcctv.com](http://www.mvteamcctv.com)

**M'TEAM** CE FC

**8CH Wireless NVR Kit**  
[www.mvteamcctv.com](http://www.mvteamcctv.com)

**M'TEAM** CE FC

## ● FACTORY & OFFICE

**M TEAM**



## ● EXHIBITIONS

**M TEAM**

