FEATURES

1.□□□□720P / 1.0MP
□□□□□□2.Connected□□□□□□□□□□□□
3□□□□□□□□□□□□500□
4.More□□□□□□□□□

SPECS

□□	**MVT-CV73A**
□□□	1/3“CMOS pixelplus 1.0M / 720P
□□	PAL / NTCS
□□□□	HD-CVI
□□□□	1280□H□* 720□V□
□□□□□	0.05LUX @□F1.2□AGC ON□□0□□□□□
□□□	1/3□□1 / 100,000s□□□□□ □□
□□	1280×720 @ 50 fps□;1280×720 @ 60 fps□
□□	□□
□□□□	1□BNC HDCVI□□□□□□
□□	3DNR
OSD	□□□□□□
□□	□□□□/□□□/□□□□/□ □□/□□□□
AWB	□□/□□/□/□
□□	□□□ICR□/□□/ B / W
□□□□	3DNR /□□ □□□/□□□□
□□□□	□□□ID /□□ /□□□□/□□□□/□□/ 485□/□□ □□
□□□□	□□/ □□/□□□/□□□/□□□□/□□□□ /□□/□□
□□□□	□□□75-3500□ □□□□
□□	DC 12V±10□
□□□□	30°C□+ 60°C /□ □□95□RH□□□□□
□□□□	8W MAX

PRODUCT PICTURE



P2P□□Advantages□

*□□□□□□□□IP□□□□

*□□□□□□DDNS□□

*□□□□□□□□□□□□

*□□□□□□□□□

HD-CVI CCTV Camera and DVR

* Low cost high definition surveillance system
* Support long-distance HD transmission
* Same installation way as traditional CCTV system

720P HD-CVI camera

1/2.9"CMOS ,1.0M/720P,with IR CUT(PO3100)

MVT-CV11A

Gray and White color optional,
with 6mm Lens,36pcs×Φ5 IR leds,
30m IR Distance,
3-Axis bracket with cable built-in

MVT-CV21A

Gray and White color optional,
with 2.8-12mm vari-focal Lens,
42pcs×Φ5 IR leds,
35m IR Distance,
bracket with cable built-in

MVT-CV73A

with 8mm Lens,
2 pcs 3rd generation LED Array,
50m IR Distance,with bracket

MVT-CV74A

with 16mm Lens,
4 pcs 3rd generation LED Array,
100m IR Distance,with bracket

720P Display&Record HD-CVI DVR

MVT-CV6304

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 1pc hard disk
4-Support P2P network view

MVT-CV6404H

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

MVT-CV6504

1-4CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

MVT-CV6508

1-8CH 720P
2-Video output:BNCx1,VGAx1,HDMIx1
3-Support 2pcs hard disk
4-Support P2P network view
5-Support Alarm input:4CH,Alarm output:1CH

FACTORY & OFFICE

EXHIBITIONS