□□NVR□□□□□16CH 1080P 2MP H.265 NVR□□2K HDMI□□

Features

1-□□□□□H.265
□□□□□□□□□□H.265□H.264□□30□□□□□□□□
2-□□□□□HDMI□2K□
3-□□□□□
1□NVR□16CH 1080P @ 25fps□□□1CH 1080P @ 25fps□□□
2□NVR□8CH 5MP @ 25fps□□□1CH 5MP @ 25fps□□□
3□NVR□8CH 1080P @ 25fps□□□2CH 1080P @ 25fps□□□
4-□□ONVIF 2.4,1□SATA

PRODUCT PICTURE

SPECS

Model		MVT-N6116
Compression		H.265
Operation		Embedded Linux
Image coding-control		m optional
Dual stream		Can be set up in each channel
Monitor image quality		1080P 1920*1080
Image dynamic detection		Multiple detection areas in each channel
Video framerate		25FPS
Image playback quality		1080P 1920*1080
Video mode		larm trigger video mode
Backup mode		rage and backup
Operate mode		Mouse, Remote controller
login locally		admin and password
Save recording		local hard disk and network
External interface	Video Output	HDMI (2K)
	Network interface	10M/100M base-T Ethernet (RJ-45)
	USB connect port	2 x USB 2.0
	Internal HDD	1 SATA HDD port
	Maximum capacity	Maximum 4TB each SATA
Cell phone monitoring		Support Window Mobile, iPhone,iPad, Android
Power		12V/3A
DVR size		340(L)*265(W)*70(H)mm
Weight		<3.5kg(without HDD)

Adopt Newest HiSilicon Chipset

New humanized User Interface

System come with 28 kinds of languages

Adjustable DVR menu transparency

Support backup video records to DVR built-in redundant HDD

Support playback different time period video records in one screen, save time on find useful video records

▼Packages

M'TEAM

Brand Camera Package

Neutral Camera Package

Brand DVR Package

▼Shipping

M'TEAM

DHL TNT FedEx Express EMS UPS

www.mvteamcctv.com

▼Sales Office and Sample room

▼Our factory and production workflow

Brush Pasting

SMT

Reflow Soldering

Inspection

Camera Test 2

Camera Test 1

Assembling

Soldering

Waterproof Test

Ageing Test

Packing

Ready for shipping

▼Trade Shows