

● FEATURES



1080P 1/3" 130 CMOS 10 53.2°-5.65° WIDE-TELE

1 4

2 25-35m

3 ICR

4 0° 360°

0° 90°

300°

4

8

5 ; 4

IP

● SPECS



360° 90°	
0.1° 220° / 0.1° 180° / s	
IR 35	
128	
PTZ	
TVS	
SPEC	
1 / 2.3"	AR0130 130 CMOS
	68° / 6.7°
	5.1-51mm
	10
	0.02LUX
IRCF	*/
	1.0 0.01
	HIS3516C
	*/ R / B UP DOWN
IRCF	*/
DSP	HIS3518A + AR0130
IR	35

通訊	10Base -T/ 100BASE-TX RJ45
幀	25/30 FPS
編碼	H.264 / MJPEG
音訊	
ONVIF	ONVIF 2.4
協定	TCP / IP.HTTP.DHCP.PPPoE.UDP.RTP / RTCP.DNS.DDNS .UPnP.SMTP
旋轉	0.2°200°/s
旋轉	0.2°100°/ s
旋轉	200°/ S
旋轉	360°0°90°
旋轉	0°/0°
旋轉	128 0°/0°
旋轉	0° 90°0°180°
旋轉	355° 0°1°
旋轉	1 0°/0°
OSD	
旋轉	
溫度	-20°C+ 60°C
濕度	0°95%
防護	IP66 0°/0°
電壓	DC12V / 24W
重量	2.5

● PRODUCT PICTURE



● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM

