

1080N 960 * 1080 4CH IP AHD TVI CVI WiFi DVR 6704H80W



● FEATURES

M TEAM



New Technology

There is a WIFI module in the back panel of DVR, users could connect the dvr to internet via WIFI.

Wifi ×

SSID	Authentication	Signal
ChinaNet-f5Ts	WPA1PSKWPA2!	Excellent
TP-LINK_91CA	WPA1PSKWPA2!	Excellent
ChinaNet-iUvQ	WPA1PSKWPA2!	Excellent
WaiMaoRouter	WPA1PSKWPA2!	Excellent
ChinaNet-9gVK	WPA1PSKWPA2!	Excellent
MVT	WPA2PSK	Excellent
	OPEN	Good
	WPA1PSKWPA2!	Good
ChinaNet-Yscb	WPA1PSKWPA2!	Good
520	WPA1PSKWPA2!	Good

Enable DHCP Enable

SSID

Password

IP Address

Subnet Mask

Gateway

Adopt Newest HiSilicon Chipset



New humanized User Interface


System come with 28 kinds of languages





Adjustable DVR menu transparency


Support backup video records to DVR built-in redundant HDD



Support playback different time period video records in one screen, save time on find useful video records



5-in-1 hybrid modes:
AHD+TVI+CVI+CVBS+IP



DVR menu with Ping command, convenient to do DVR network testing



With UTC Function, control analog camera and PTZ camera on DVR thru coaxial cable



● SPECS



- 1- AHD / TVI / CVI 4CH 1080N @ 25fps + 4CH 6fps 1080N
- 2- HVR 2CH 1080N @ 25fps + 2CH 1080P @ 25fps IP 1CH 1080P @ 25fps
- 3- NVR 4CH 1080P @ 25fps IP 1CH 1080P @ 25fps
- 4- 4CH
- 5- HDMI

電源	6704H80W
規格	H.264
OS	Linux
インターフェース	
規格	
インターフェース	1080N
インターフェース	
インターフェース	25fps
インターフェース	1080N
インターフェース	
インターフェース	USB
インターフェース	
インターフェース	
インターフェース	
インターフェース	4
インターフェース	4 *RCA
インターフェース	10/ 100base-T RJ-45 WiFi
USB	2 USB 2.0
RS485	RS485 * 1
インターフェース	
インターフェース	
インターフェース	1 SATA
インターフェース	4TB SATA
インターフェース	iPhone iPad Android
電源	12V /2
DVR	255 * 45 * 235
電源	< 2.7

▼ Packages

M'TEAM

Brand Camera Package



Neutral Camera Package



Brand DVR Package



▼ Shipping

M'TEAM



□□□□

□□□□□□□□□□ □□□□

□□□□□□□□□□

□□□□□□□□□□ www.mvteamcctv.com □□ □□□□□□□□ □□ □□□□□□□□