

● FEATURES



1. 1080P
2. 1080P
3. 1080P AHD DVR
4. 1080P
5. CMS 3G

● SPECS



Model	MVT-R73410	MVT-R7341F	MVT-R7341Z	MVT-R7341E	MVT-R7341A	MVT-R7351E	MVT-R7351F
Resolution	1/4" CMOS	1/3" CMOS	1/3" CMOS	1/4" CMOS	1/3" CMOS	1/3 SONY CCD	1/3 SONY CCD
Format	PAL / NTSC						
Resolution	PAL 752 482V	PAL 752 482V	PAL 976 582V	PAL 976 582V	720P	PAL 976 582V	PAL 976 582V
	NTSC 768 494V	NTSC 768 494V	NTSC 976 494V	NTSC 976 494V		NTSC 976 494V	NTSC 976 494V
Resolution	600TVL	600TVL	700TVL	800TVL	1000TVL	700TVL	700TVL
Resolution	0.003 / 0.6 OFF / B / W 0.0001 / 0.1 OFF					0.01LUX / F1.2	0.01LUX / F1.2
S / N	>58dB					>65dB AGC OFF	
AES	1 / 50-1 / 60,000sec PAL 1 / 60-1 / 60,000sec NTSC						
WDR	-	-	-	-	-	D-WDR	D-WDR
DNR	-	-	-	-	-	2D-DNR	2D-DNR
OSD	-	-	-	-	-	OSD	OSD
Temp	ATW / AWC / 1800°K / 10500°K / 4,500°K / 8500°K						
AGC	ON					ON / OFF	
BLC	ON					ON	
Gamma	0.45						
Gain	ON						
Impedance	1.0VP-P 75Ω						
Voltage	DC12V 9V 15V						
Temp	-20C 60C / 10 95 RH						



New Appearance CCTV Cameras



MVT-R46
8mm(CS) Lens,
42 pcs IR leds



MVT-R30
8mm Lens,
42pcs×Φ5 IR leds



MVT-R21
2.8-12mm
vari-focal Lens,
42pcs×Φ5 IR leds



MVT-R62
2.8-12mm
vari-focal Lens,
42pcs×Φ5 IR leds



MVT-R58
9-22mm
vari-focal Lens,
72pcs×Φ5 IR leds



MVT-D30
6mm lens,
24pcs×Φ5 IR leds



MVT-D22
6mm lens,
36pcs×Φ5 IR leds



MVT-D28
6mm lens,
36pcs×Φ5 IR leds



MVT-D29
2.8-12mm
vari-focal Lens,
36pcs×Φ5 IR leds



MVT-D26
2.8-12mm(M12)
vari-focal Lens

● FACTORY & OFFICE

M'TEAM



● EXHIBITIONS

M'TEAM



□□□□□□ □□ □□□□□□ □□□□